



**US Army Corps
of Engineers**

Waterways Experiment
Station

Technical Report CHL-98-14
May 1998

Annual Data Summary for 1995 CHL Field Research Facility

Volume II: Appendixes C Through E

*by Michael W. Leffler, Clifford F. Baron, Brian L. Scarborough,
Paul R. Hodges, C. Ray Townsend*

DTIC QUALITY INSPECTED 1

Approved For Public Release; Distribution Is Unlimited

19980630 007

Prepared for Headquarters, U.S. Army Corps of Engineers

DTIC QUALITY INSPECTED 1

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.



PRINTED ON RECYCLED PAPER

Annual Data Summary for 1995 CHL Field Research Facility

Volume II: Appendixes C Through E

by Michael W. Leffler, Clifford F. Baron, Brian L. Scarborough,
Paul R. Hodges, C. Ray Townsend


U.S. Army Corps of Engineers
Waterways Experiment Station
3909 Halls Ferry Road
Vicksburg, MS 39180-6199

Final report

Approved for public release; distribution is unlimited



**US Army Corps
of Engineers**
Waterways Experiment
Station



Waterways Experiment Station Cataloging-in-Publication Data

Annual data summary for 1995 : CHL Field Research Facility / by Michael W. Leffler ... [et al.] ; prepared for U.S. Army Corps of Engineers.

2 v. : ill. ; 28 cm. — (Technical report ; CHL-98-14)

Includes bibliographic references.

v. 1. Main text and appendixes A and B—v. 2. Appendixes C through E.

1. Ocean waves — North Carolina — Duck — Statistics. 2. Water waves — North Carolina — Duck — Statistics. 3. Oceanographic research stations — North Carolina — Duck — Statistics. 4. Oceanography — North Carolina — Duck — Statistics. I. Leffler, Michael W. II. United States. Army. Corps of Engineers. III. U.S. Army Engineer Waterways Experiment Station. IV. Coastal and Hydraulics Laboratory (U.S. Army Engineer Waterways Experiment Station) V. Title: CHL Field Research Facility annual data summary for 1995. VI. Series: Technical report (U.S. Army Engineer Waterways Experiment Station) ; CHL-98-14.

TA7 W34 no.CHL-98-14

Appendix C

Wave Data for Gauge 111

Wave data summaries for Gauge 111 for 1995 and for 1980 through 1995 are presented in the following pages. Substituted for Gauge 111 was data from 640 for 1985 and 1986. Also used was data from Gauge 141 from 1987 and Gauge 511 from Jan-Aug 1993. In 1997 data from Gauge 121 was used from Sept-Dec.

Daily H_{mo} and T_p

Figure C1 displays the individual wave height H_{mo} and peak spectral wave period T_p values, along with the monthly mean values.

Joint Distributions of H_{mo} and T_p

Annual and monthly joint distribution tables are presented in Tables C1 and C2, and data for 1980 through 1995 are in Tables C3 and C4. Each table gives the frequency (in parts per 10,000) for which the wave height and peak period were within the specified intervals; these values can be converted to percentages by dividing by 100. Marginal totals are also included. The row total gives the number of observations out of 10,000 that fell within each specified peak period interval. The column total gives the number of observations out of 10,000 that fell within each specified wave height interval.

Cumulative Distributions of Wave Height

Annual and monthly wave height distributions for 1995 are plotted in cumulative form in Figures C2 and C3. Data for 1980 through 1995 are plotted in Figure C4.

Peak Spectral Wave Period Distributions

Annual and monthly peak wave period T_p distribution histograms for 1995 are presented in Figures C5 and C6. Data for 1980 through 1995 are presented in Figure C7.

Persistence of Wave Heights

Table C5 shows the number of times in 1995 when the specified wave height was equaled or exceeded at least once during each day for the duration (consecutive days). Data for 1980 through 1995 are averaged and given in Table C6. An example is shown below:

| Height m | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 18 | 15 | | 14 | 13 | 12 | | 11 | 10 | 9 | | | | 8 | | 7 | | | |
| 1.0 | 50 | 34 | 24 | 21 | 18 | 14 | 12 | 8 | 7 | 3 | | | 2 | | | | | | |
| 1.5 | 41 | 19 | 8 | 6 | 2 | 1 | | | | | | | | | | | | | |
| 2.0 | 22 | 9 | 5 | 1 | | | | | | | | | | | | | | | |
| 2.5 | 10 | 5 | 2 | | | | | | | | | | | | | | | | |
| 3.0 | 6 | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | | 1 | | | | | | | | | | | | | | | | | |
| 4.0 | 1 | | | | | | | | | | | | | | | | | | |

This example indicates that wave heights equaled or exceeded 1.0 m 50 times for at least 1 day; 34 times for at least 2 days; 24 times for at least 3 days, etc. Therefore, on 16 occasions the height equaled or exceeded 1.0 m for 1 day exactly ($50 - 34 = 16$); on 10 occasions for 2 days; on 3 occasions for 3 days, etc. Note that the height exceeded 1 m 50 times for 1 day or longer, while heights exceeded 0.5 m only 18 times for this same duration. This change in durations occurred because the longer durations of lower waves may be interspersed with shorter, but more frequent, intervals of higher waves. For example, one of the times that the wave heights exceeded 0.5 m for 16 days may have represented three times the height exceeded 1 m for shorter durations.

Spectra

Monthly spectra for the pressure gauge (Gauge 111) are presented in Figure C8. The plots show "relative" energy density as a function of wave frequency. These figures summarize the large number of spectra for each month.

The figures emphasize the higher energy density associated with storms, as well as the general shifts in energy density to different frequencies. As used here, "relative" indicates the spectra have been smoothed by the three-dimensional surface drawing routine. Consequently, extremely high- and low-energy density values are modified to produce a smooth surface. The figures are not intended for quantitative measurements; however, they do provide the energy density as a function of frequency relative to the other spectra for the month.

Monthly and annual wave statistics for Gauge 111 for 1995 and for 1980 through 1995 are presented in Table C7.

Figure C9 plots monthly time-histories of wave height and period.




Figure C1. 1995 daily wave height and period values with monthly means for Gauge 111

Table C1
Annual Joint Distribution of H_{mo} versus T_p

| Annual 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | 55 | 62 | 69 | 159 | 166 | 152 | 214 | 538 | 83 | 331 | 48 | 1877 |
| 0.50 - 0.99 | . | 138 | 297 | 607 | 711 | 393 | 545 | 649 | 876 | 200 | 449 | 14 | 4879 |
| 1.00 - 1.49 | . | 7 | 138 | 338 | 317 | 242 | 221 | 159 | 455 | 138 | 166 | . | 2181 |
| 1.50 - 1.99 | . | . | . | 76 | 159 | 104 | 83 | 104 | 166 | 21 | 28 | . | 741 |
| 2.00 - 2.49 | . | . | . | . | 41 | 35 | 28 | 48 | 48 | 14 | 14 | . | 228 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | 7 | 28 | . | 14 | . | 49 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | 14 | . | . | 14 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | 7 | 21 | . | 28 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | 7 | . | . | 7 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 200 | 497 | 1090 | 1387 | 940 | 1029 | 1181 | 2111 | 484 | 1023 | 62 | |

Table C2
Monthly Joint Distribution of H_{mo} versus T_p

| January 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 81 | 81 | . | 163 | 81 | 163 | 81 | 163 | . | 732 | 325 | 1870 | |
| 0.50 - 0.99 | . | 81 | 407 | 1057 | 650 | 163 | 244 | 244 | 1220 | . | 81 | 81 | 4228 | |
| 1.00 - 1.49 | . | . | . | 244 | 325 | 325 | 163 | 81 | 325 | . | . | . | 1463 | |
| 1.50 - 1.99 | . | . | . | 81 | 163 | 325 | . | 488 | 894 | . | . | . | 1951 | |
| 2.00 - 2.49 | . | . | . | . | . | 81 | . | . | 244 | . | . | . | 325 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | 163 | . | . | . | 163 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 162 | 488 | 1382 | 1301 | 975 | 570 | 894 | 3009 | 0 | 813 | 406 | | |

| February 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 89 | . | . | . | 179 | 446 | 536 | 357 | 446 | 714 | 179 | 2946 | |
| 0.50 - 0.99 | . | 89 | 536 | 536 | 625 | 625 | 446 | 714 | 446 | . | 89 | 89 | 4195 | |
| 1.00 - 1.49 | . | . | 89 | 446 | 1071 | 446 | 357 | 89 | . | . | . | . | 2498 | |
| 1.50 - 1.99 | . | . | . | 89 | 89 | 89 | 89 | . | . | . | . | . | 356 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 178 | 625 | 1071 | 1785 | 1339 | 1338 | 1339 | 803 | 446 | 803 | 268 | | |

| March 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | . | 83 | . | . | 83 | . | . | . | 166 | |
| 0.50 - 0.99 | . | . | 165 | 579 | 413 | 413 | 744 | 1157 | 1322 | 331 | 413 | . | 5537 | |
| 1.00 - 1.49 | . | . | . | 165 | 331 | 83 | 496 | 248 | 744 | 83 | 331 | . | 2481 | |
| 1.50 - 1.99 | . | . | . | 83 | 331 | 331 | 83 | 331 | 248 | . | . | . | 1407 | |
| 2.00 - 2.49 | . | . | . | . | 83 | 83 | . | 165 | . | . | . | . | 331 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | 83 | . | . | . | . | 83 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 0 | 165 | 827 | 1158 | 993 | 1323 | 1984 | 2397 | 414 | 744 | 0 | | |

(Continued)

(Sheet 1 of 4)

(Continued)

(Sheet 1 of 4)

Table C2 (Continued)

| April 1995, Gauge 111 | | | | | | | | | | | | | |
|---|-------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|---------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | <u>2.9</u> | <u>3.9</u> | <u>4.9</u> | <u>5.9</u> | <u>6.9</u> | <u>7.9</u> | <u>8.9</u> | <u>9.9</u> | <u>11.9</u> | <u>13.9</u> | <u>15.9</u> | <u>Longer</u> | |
| 0.00 - 0.49 | . | . | 167 | 250 | 83 | 250 | 333 | 83 | 417 | 83 | 333 | 83 | 2082 |
| 0.50 - 0.99 | . | 333 | 667 | 750 | 917 | 667 | 917 | 417 | 333 | 417 | 750 | . | 6168 |
| 1.00 - 1.49 | . | . | 167 | 250 | 167 | 500 | 250 | 83 | . | . | . | . | 1417 |
| 1.50 - 1.99 | . | . | . | 83 | 167 | 83 | . | . | . | . | . | . | 333 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 333 | 1001 | 1333 | 1334 | 1500 | 1500 | 583 | 750 | 500 | 1083 | 83 | 0 |

| May 1995, Gauge 111 | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | . | . | 161 | 726 | 242 | 161 | 242 | 887 | . | 403 | . | 2822 |
| 0.50 - 0.99 | . | 403 | 81 | 323 | 323 | 242 | 323 | 484 | 1290 | 161 | 1210 | . | 4840 |
| 1.00 - 1.49 | . | . | 161 | 242 | 242 | 161 | 161 | 242 | 887 | 81 | 81 | . | 2258 |
| 1.50 - 1.99 | . | . | . | . | . | 81 | . | . | . | . | . | . | 81 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 403 | 242 | 726 | 1291 | 726 | 645 | 968 | 3064 | 242 | 1694 | 0 | 0 |

| June 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | 84 | 84 | . | 336 | 252 | 84 | 504 | 168 | . | 672 | . | 2184 |
| 0.50 - 0.99 | . | 84 | 336 | 1008 | 1849 | 1008 | 1261 | 168 | 252 | . | 84 | . | 6050 |
| 1.00 - 1.49 | . | . | . | 336 | 420 | 84 | 420 | 84 | 252 | . | 84 | . | 1680 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | 84 | . | 84 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 168 | 420 | 1344 | 2605 | 1344 | 1765 | 756 | 672 | 0 | 924 | 0 | |

(Continued)

(Sheet 2 of 4)

Table C2 (Continued)

| July 1995, Gauge 111 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 83 | 250 | . | 167 | 667 | 167 | 583 | 2417 | 83 | 333 | . | 4750 | |
| 0.50 - 0.99 | . | 167 | 250 | 583 | 333 | 333 | 583 | 1000 | 1667 | 83 | 167 | . | 5166 | |
| 1.00 - 1.49 | . | . | . | 83 | . | . | . | . | . | . | . | . | 83 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 250 | 500 | 666 | 500 | 1000 | 750 | 1583 | 4084 | 166 | 500 | 0 | | |

| August 1995, Gauge 111 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | 81 | 242 | 161 | 161 | 887 | 81 | 81 | . | 1694 | |
| 0.50 - 0.99 | . | 161 | 81 | 81 | 81 | 161 | 645 | 484 | 323 | 323 | 403 | . | 2743 | |
| 1.00 - 1.49 | . | . | 242 | 323 | 81 | . | 81 | 81 | 806 | 242 | 323 | . | 2179 | |
| 1.50 - 1.99 | . | . | . | . | 161 | 161 | 81 | . | 565 | 161 | 81 | . | 1210 | |
| 2.00 - 2.49 | . | . | . | . | 161 | 81 | 161 | 242 | 323 | 161 | 161 | . | 1290 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | 161 | . | 161 | . | 322 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | 161 | . | . | 161 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | 81 | 242 | . | 323 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | 81 | . | . | 81 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 161 | 323 | 404 | 565 | 645 | 1129 | 968 | 3065 | 1291 | 1452 | 0 | | |

| September 1995, Gauge 111 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 0.50 - 0.99 | . | 83 | 167 | 83 | 167 | 83 | 250 | 750 | 1167 | 83 | . | . | 2833 | |
| 1.00 - 1.49 | . | . | 250 | 167 | 83 | 417 | 417 | 417 | 1083 | 1083 | 833 | . | 4750 | |
| 1.50 - 1.99 | . | . | . | 417 | 750 | 83 | 167 | 250 | . | . | 167 | . | 1834 | |
| 2.00 - 2.49 | . | . | . | . | 250 | 83 | 83 | 167 | . | . | . | . | 583 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 83 | 417 | 667 | 1250 | 666 | 917 | 1584 | 2250 | 1166 | 1000 | 0 | | |

(Continued)

(Sheet 3 of 4)

(Continued)

(Sheet 3 of 4)

Table C2 (Concluded)

| October 1995, Gauge 111 | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height(m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | . | . | . | . | . | . | . | 81 | . | . | . | 81 |
| 0.50 - 0.99 | . | 81 | 161 | 484 | 565 | 403 | 726 | 1613 | 1048 | 565 | 1290 | . | 6936 |
| 1.00 - 1.49 | . | 81 | 161 | 726 | 242 | 161 | . | 161 | 968 | . | 81 | . | 2581 |
| 1.50 - 1.99 | . | . | . | 81 | . | . | 242 | . | 81 | . | . | . | 404 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 162 | 322 | 1291 | 807 | 564 | 968 | 1774 | 2178 | 565 | 1371 | 0 | |

| November 1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|---------------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | <u>2.9</u> | <u>3.9</u> | <u>4.9</u> | <u>5.9</u> | <u>6.9</u> | <u>7.9</u> | <u>8.9</u> | <u>9.9</u> | <u>11.9</u> | <u>13.9</u> | <u>15.9</u> | <u>Longer</u> | |
| 0.00 - 0.49 | . | 169 | . | . | . | . | 85 | 169 | 593 | 85 | 508 | . | 1609 |
| 0.50 - 0.99 | . | . | 169 | 339 | 593 | 508 | 85 | 508 | 1186 | 424 | 847 | . | 4659 |
| 1.00 - 1.49 | . | . | 339 | 508 | 847 | 339 | 169 | 254 | 169 | 169 | 169 | . | 2963 |
| 1.50 - 1.99 | . | . | . | 85 | 254 | . | 169 | 85 | . | 85 | . | . | 678 |
| 2.00 - 2.49 | . | . | . | . | . | . | 85 | . | . | . | . | . | 85 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 169 | 508 | 932 | 1694 | 847 | 593 | 1016 | 1948 | 763 | 1524 | 0 | |

| December 1995, Gauge 111 | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | 161 | 161 | 403 | 323 | . | 242 | 242 | 403 | 242 | 242 | . | 2419 |
| 0.50 - 0.99 | . | 161 | 565 | 1452 | 2016 | 161 | 323 | 242 | 242 | . | . | . | 5162 |
| 1.00 - 1.49 | . | . | 242 | 565 | 81 | 403 | 161 | 161 | 161 | . | 81 | . | 1855 |
| 1.50 - 1.99 | . | . | . | . | . | 81 | 161 | 81 | 161 | . | . | . | 484 |
| 2.00 - 2.49 | . | . | . | . | . | 81 | . | . | . | . | . | . | 81 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 322 | 968 | 2420 | 2420 | 726 | 887 | 726 | 967 | 242 | 323 | 0 | |

(Sheet 4 of 4)

Table C3

Annual Joint Distribution of H_{mo} versus T_p (All Years)

| Annual 1985-1995, Gauge 111 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|---|--------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 5 | 72 | 44 | 72 | 131 | 232 | 639 | 494 | 433 | 147 | 263 | 16 | 2548 |
| 0.50 - 0.99 | 2 | 131 | 261 | 424 | 501 | 413 | 880 | 758 | 658 | 132 | 294 | 16 | 4470 |
| 1.00 - 1.49 | . | 10 | 119 | 333 | 279 | 154 | 237 | 196 | 281 | 43 | 98 | 1 | 1751 |
| 1.50 - 1.99 | . | . | 6 | 100 | 179 | 80 | 78 | 72 | 127 | 25 | 52 | 1 | 720 |
| 2.00 - 2.49 | . | . | . | 5 | 53 | 44 | 35 | 34 | 51 | 18 | 32 | 1 | 273 |
| 2.50 - 2.99 | . | . | . | . | 7 | 13 | 11 | 17 | 34 | 10 | 24 | . | 116 |
| 3.00 - 3.49 | . | . | . | . | 2 | 5 | 7 | 12 | 19 | 8 | 5 | . | 58 |
| 3.50 - 3.99 | . | . | . | . | . | 1 | 6 | 5 | 15 | 6 | 8 | 1 | 42 |
| 4.00 - 4.49 | . | . | . | . | . | . | 1 | 2 | 7 | 3 | 5 | 3 | 21 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 |
| 5.00 - Greater | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Total | 7 | 213 | 430 | 934 | 1152 | 942 | 1894 | 1591 | 1626 | 393 | 781 | 39 | |

Table C4
Monthly Joint Distribution of H_{mo} versus T_p (All Years)

| January 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | 98 | 15 | 53 | 45 | 196 | 339 | 640 | 451 | 105 | 241 | 45 | 2228 |
| 0.50 - 0.99 | . | 128 | 211 | 512 | 504 | 324 | 647 | 722 | 790 | 53 | 196 | 15 | 4102 |
| 1.00 - 1.49 | . | 8 | 143 | 519 | 459 | 143 | 196 | 211 | 301 | 15 | 38 | . | 2033 |
| 1.50 - 1.99 | . | . | 8 | 135 | 263 | 105 | 83 | 105 | 203 | 38 | 15 | . | 955 |
| 2.00 - 2.49 | . | . | . | . | 60 | 90 | 83 | 30 | 83 | 8 | 38 | . | 392 |
| 2.50 - 2.99 | . | . | . | . | 8 | 8 | 38 | 23 | 98 | . | 23 | . | 198 |
| 3.00 - 3.49 | . | . | . | . | . | . | 15 | 8 | 30 | 8 | 8 | . | 69 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | 15 | . | 8 | . | 23 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | 8 | . | . | 8 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 234 | 377 | 1219 | 1339 | 866 | 1401 | 1739 | 1971 | 235 | 567 | 60 | |

| February 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | 50 | 33 | 41 | 91 | 91 | 356 | 521 | 364 | 66 | 199 | 17 | 1829 |
| 0.50 - 0.99 | . | 83 | 289 | 380 | 529 | 405 | 744 | 778 | 868 | 58 | 174 | 17 | 4325 |
| 1.00 - 1.49 | . | 8 | 108 | 447 | 463 | 248 | 331 | 298 | 356 | 41 | 132 | . | 2432 |
| 1.50 - 1.99 | . | . | 8 | 132 | 273 | 99 | 91 | 66 | 124 | 8 | 17 | . | 818 |
| 2.00 - 2.49 | . | . | . | 17 | 83 | 83 | 8 | 17 | 33 | . | 41 | . | 282 |
| 2.50 - 2.99 | . | . | . | . | 8 | 17 | . | 25 | 50 | 25 | 33 | . | 158 |
| 3.00 - 3.49 | . | . | . | . | 8 | . | 17 | 41 | 17 | 8 | 17 | . | 108 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | 17 | 25 | 8 | . | . | 50 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 141 | 438 | 1017 | 1455 | 943 | 1547 | 1763 | 1837 | 214 | 613 | 34 | |

| March 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 7 | 22 | 15 | 45 | 90 | 127 | 307 | 209 | 307 | 90 | 127 | . | 1346 |
| 0.50 - 0.99 | . | 90 | 142 | 419 | 479 | 494 | 815 | 815 | 920 | 127 | 359 | . | 4660 |
| 1.00 - 1.49 | . | 7 | 180 | 337 | 411 | 172 | 247 | 262 | 479 | 15 | 172 | . | 2282 |
| 1.50 - 1.99 | . | . | 7 | 97 | 187 | 120 | 75 | 97 | 209 | 15 | 120 | . | 927 |
| 2.00 - 2.49 | . | . | . | 7 | 67 | 22 | 52 | 112 | 67 | . | 90 | . | 417 |
| 2.50 - 2.99 | . | . | . | . | 7 | 15 | 15 | 37 | 45 | 30 | 30 | . | 179 |
| 3.00 - 3.49 | . | . | . | . | . | 7 | . | 15 | 37 | 7 | . | . | 66 |
| 3.50 - 3.99 | . | . | . | . | . | . | 7 | . | 52 | 7 | 7 | . | 73 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | 22 | . | 15 | . | 37 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | 7 | . | . | . | 7 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 7 | 119 | 344 | 905 | 1241 | 957 | 1518 | 1547 | 2145 | 291 | 920 | 0 | |

(Continued)

(Sheet 1 of 4)

Table C4 (Continued)

April 1985-1995, Gauge 111
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 8 | 31 | 23 | 77 | 69 | 131 | 432 | 309 | 340 | 224 | 355 | 15 | 2014 |
| 0.50 - 0.99 | . | 170 | 232 | 432 | 502 | 463 | 1012 | 988 | 749 | 239 | 494 | 8 | 5289 |
| 1.00 - 1.49 | . | 23 | 69 | 216 | 201 | 154 | 263 | 278 | 162 | 31 | 93 | . | 1490 |
| 1.50 - 1.99 | . | . | 15 | 93 | 116 | 62 | 77 | 69 | 185 | 15 | 54 | . | 686 |
| 2.00 - 2.49 | . | . | . | 15 | 46 | . | 15 | 46 | 100 | . | 31 | . | 253 |
| 2.50 - 2.99 | . | . | . | . | 8 | . | 15 | 15 | 39 | 54 | . | . | 131 |
| 3.00 - 3.49 | . | . | . | . | 8 | 8 | 8 | 8 | 23 | 8 | 8 | . | 71 |
| 3.50 - 3.99 | . | . | . | . | . | . | 8 | . | 8 | 8 | 8 | . | 32 |
| 4.00 - 4.49 | . | . | . | . | . | . | 8 | 8 | 8 | . | . | . | 24 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | 8 | . | . | . | 8 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 8 | 224 | 339 | 833 | 950 | 818 | 1838 | 1721 | 1622 | 579 | 1043 | 23 | |

May 1985-1995, Gauge 111
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 8 | 77 | 38 | 138 | 284 | 238 | 682 | 437 | 575 | 238 | 429 | . | 3144 |
| 0.50 - 0.99 | . | 161 | 284 | 276 | 429 | 460 | 1034 | 743 | 621 | 92 | 284 | 15 | 4399 |
| 1.00 - 1.49 | . | 23 | 92 | 192 | 130 | 138 | 330 | 230 | 276 | 15 | 77 | . | 1503 |
| 1.50 - 1.99 | . | . | 8 | 61 | 77 | 23 | 54 | 107 | 146 | 23 | 38 | 8 | 545 |
| 2.00 - 2.49 | . | . | . | . | 69 | 23 | 46 | 46 | 23 | 31 | 15 | . | 253 |
| 2.50 - 2.99 | . | . | . | . | 31 | 8 | 15 | 8 | 15 | 8 | 23 | . | 108 |
| 3.00 - 3.49 | . | . | . | . | . | . | 8 | 8 | 15 | 8 | 15 | . | 54 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 8 | 261 | 422 | 667 | 1020 | 890 | 2169 | 1579 | 1671 | 415 | 881 | 23 | |

June 1985-1995, Gauge 111
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 16 | 133 | 47 | 47 | 265 | 437 | 1390 | 812 | 476 | 125 | 219 | 8 | 3975 |
| 0.50 - 0.99 | 8 | 109 | 242 | 461 | 671 | 492 | 1311 | 882 | 343 | 125 | 187 | 16 | 4847 |
| 1.00 - 1.49 | . | 8 | 47 | 195 | 180 | 101 | 125 | 55 | 133 | . | 47 | . | 891 |
| 1.50 - 1.99 | . | . | 16 | 16 | 39 | 39 | 23 | 16 | 31 | . | 39 | . | 219 |
| 2.00 - 2.49 | . | . | . | . | 8 | 8 | 31 | . | 8 | . | 16 | . | 71 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 24 | 250 | 352 | 719 | 1163 | 1077 | 2880 | 1765 | 991 | 250 | 508 | 24 | |

(Continued)

(Sheet 2 of 4)

Table C4 (Continued)

| July 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 8 | 139 | 162 | 124 | 239 | 710 | 1761 | 1181 | 888 | 239 | 425 | 15 | 5891 |
| 0.50 - 0.99 | . | 170 | 301 | 440 | 355 | 448 | 911 | 479 | 347 | 93 | 154 | 15 | 3713 |
| 1.00 - 1.49 | . | . | 23 | 77 | 39 | 39 | 62 | 8 | 39 | . | 15 | . | 302 |
| 1.50 - 1.99 | . | . | . | 8 | 8 | 8 | 15 | 31 | 23 | . | . | . | 93 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 8 | 309 | 486 | 649 | 641 | 1205 | 2749 | 1699 | 1297 | 332 | 594 | 30 | |

| August 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 16 | 63 | 55 | 94 | 211 | 375 | 953 | 617 | 563 | 156 | 164 | 8 | 3275 |
| 0.50 - 0.99 | . | 172 | 227 | 492 | 578 | 453 | 1063 | 672 | 508 | 172 | 320 | 55 | 4712 |
| 1.00 - 1.49 | . | . | 148 | 227 | 156 | 117 | 273 | 109 | 172 | 39 | 78 | . | 1319 |
| 1.50 - 1.99 | . | . | . | 63 | 70 | 39 | 8 | 16 | 109 | 55 | 23 | . | 383 |
| 2.00 - 2.49 | . | . | . | . | 23 | 16 | 16 | 39 | 63 | 23 | 23 | . | 203 |
| 2.50 - 2.99 | . | . | . | . | . | . | 8 | . | 16 | . | 16 | . | 40 |
| 3.00 - 3.49 | . | . | . | . | 8 | . | . | . | . | 16 | . | . | 24 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | 8 | 23 | . | 31 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | 8 | 8 | . | 16 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 16 | 235 | 430 | 876 | 1046 | 1000 | 2321 | 1453 | 1431 | 477 | 655 | 63 | |

| September 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 40 | 8 | 24 | 32 | 119 | 445 | 278 | 397 | 159 | 286 | . | 1788 | |
| 0.50 - 0.99 | . | 143 | 262 | 365 | 429 | 381 | 953 | 937 | 858 | 151 | 270 | . | 4749 | |
| 1.00 - 1.49 | . | 8 | 111 | 357 | 159 | 207 | 365 | 262 | 342 | 159 | 167 | . | 2137 | |
| 1.50 - 1.99 | . | . | . | 135 | 214 | 127 | 151 | 71 | 56 | 24 | 71 | 8 | 857 | |
| 2.00 - 2.49 | . | . | . | . | 71 | 87 | 24 | 40 | . | 48 | 40 | 16 | 326 | |
| 2.50 - 2.99 | . | . | . | . | . | 56 | 16 | 16 | 8 | . | 8 | . | 104 | |
| 3.00 - 3.49 | . | . | . | . | . | . | 8 | . | . | . | . | . | 8 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | 8 | 24 | . | . | . | 32 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 191 | 381 | 881 | 905 | 977 | 1962 | 1612 | 1685 | 541 | 842 | 24 | | |

(Continued)

(Sheet 3 of 4)

Table C4 (Concluded)

| October 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 15 | 45 | 23 | 45 | 83 | 219 | 196 | 211 | 76 | 166 | 15 | 1094 | |
| 0.50 - 0.99 | . | 106 | 332 | 302 | 468 | 363 | 846 | 869 | 778 | 219 | 483 | 8 | 4774 | |
| 1.00 - 1.49 | . | 15 | 219 | 476 | 287 | 106 | 196 | 234 | 498 | 60 | 136 | . | 2227 | |
| 1.50 - 1.99 | . | . | 8 | 181 | 264 | 45 | 181 | 83 | 211 | 53 | 68 | . | 1094 | |
| 2.00 - 2.49 | . | . | . | 8 | 60 | 83 | 38 | 38 | 113 | 15 | 23 | . | 378 | |
| 2.50 - 2.99 | . | . | . | . | 8 | 15 | 15 | 23 | 53 | . | 30 | . | 144 | |
| 3.00 - 3.49 | . | . | . | . | . | 15 | 30 | 30 | 38 | 8 | 15 | . | 136 | |
| 3.50 - 3.99 | . | . | . | . | . | . | 30 | 8 | 38 | 15 | 8 | 8 | 107 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | 8 | . | . | 30 | 38 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | 8 | . | . | . | . | 8 | |
| Total | 0 | 136 | 604 | 990 | 1132 | 710 | 1555 | 1489 | 1948 | 446 | 929 | 61 | | |

| November 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 78 | 23 | 85 | 62 | 155 | 465 | 372 | 310 | 140 | 225 | 62 | 1977 | |
| 0.50 - 0.99 | 8 | 116 | 310 | 427 | 520 | 403 | 721 | 590 | 497 | 186 | 318 | 8 | 4104 | |
| 1.00 - 1.49 | . | 8 | 163 | 473 | 465 | 225 | 326 | 178 | 326 | 78 | 109 | . | 2351 | |
| 1.50 - 1.99 | . | . | . | 147 | 295 | 140 | 93 | 132 | 109 | 16 | 23 | . | 955 | |
| 2.00 - 2.49 | . | . | . | 16 | 39 | 85 | 93 | 23 | 62 | . | 16 | . | 334 | |
| 2.50 - 2.99 | . | . | . | . | 8 | 23 | 8 | 23 | 23 | . | 31 | . | 116 | |
| 3.00 - 3.49 | . | . | . | . | . | 8 | . | 31 | 39 | 8 | . | . | 86 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | 16 | . | 16 | . | . | 32 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | 8 | 16 | . | 16 | . | 40 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | 8 | . | . | 8 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 8 | 202 | 496 | 1148 | 1389 | 1039 | 1706 | 1373 | 1382 | 452 | 738 | 70 | | |

| December 1985-1995, Gauge 111 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 119 | 63 | 111 | 143 | 111 | 325 | 365 | 317 | 151 | 317 | . | 2022 | |
| 0.50 - 0.99 | 8 | 119 | 310 | 587 | 556 | 262 | 500 | 619 | 619 | 63 | 278 | 32 | 3953 | |
| 1.00 - 1.49 | . | 16 | 119 | 484 | 397 | 206 | 143 | 230 | 278 | 63 | 111 | 8 | 2055 | |
| 1.50 - 1.99 | . | . | . | 127 | 349 | 151 | 79 | 71 | 103 | 48 | 159 | . | 1087 | |
| 2.00 - 2.49 | . | . | . | . | 111 | 32 | 8 | 16 | 56 | 95 | 48 | . | 366 | |
| 2.50 - 2.99 | . | . | . | . | 8 | 16 | . | 32 | 56 | 8 | 95 | . | 215 | |
| 3.00 - 3.49 | . | . | . | . | . | 16 | . | 8 | 32 | 32 | . | . | 88 | |
| 3.50 - 3.99 | . | . | . | . | . | 8 | 24 | 16 | 16 | 16 | 48 | 8 | 136 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | 8 | 32 | 24 | 16 | . | 80 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 8 | 254 | 492 | 1309 | 1564 | 802 | 1079 | 1365 | 1509 | 500 | 1072 | 48 | | |

(Sheet 4 of 4)




Figure C2. Annual cumulative wave height distributions for Gauge 111




Figure C3. 1995 monthly wave height distributions for Gauge 111




Figure C4. 1980-1995 monthly wave height distributions for Gauge 111




Figure C5. Annual wave period distributions for all gauges




Figure C6. 1995 monthly wave period distributions for Gauge 111




Figure C7. 1980-1995 monthly wave period distributions for Gauge 111

Table C5
1995 persistence of H_{mo} for Gauge 111

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 26 | 22 | 20 | 19 | 18 | 14 | 12 | 11 | 10 | 9 | 8 | | | 7 | 5 | 4 | | | 3 |
| 1.0 | 58 | 37 | 27 | 17 | 11 | 7 | 6 | 5 | | | 2 | 1 | | | | | | | |
| 1.5 | 32 | 15 | 8 | | 3 | 2 | | 1 | | | | | | | | | | | |
| 2.0 | 11 | 6 | 2 | | | 1 | | | | | | | | | | | | | |
| 2.5 | 5 | 2 | | | | | | | | | | | | | | | | | |
| 3.0 | 2 | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | | 1 | | | | | | | | | | | | | | | | | |
| 4.0 | | | | | | | | | | | | | | | | | | | |

Table C6
1980 through 1995 persistence of H_{mo} for Gauge 111

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|----|----|---|----|---|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 20 | | 16 | 15 | 13 | 12 | | 10 | 9 | 8 | 7 | | 6 | | 5 | | | 4 | 3 |
| 1.0 | 34 | 23 | 16 | 10 | | 7 | 5 | 3 | 2 | | 1 | | | | | | | | |
| 1.5 | 23 | 13 | 6 | 3 | | 2 | | 1 | | | | | | | | | | | |
| 2.0 | 11 | 6 | 3 | | | 1 | | | | | | | | | | | | | |
| 2.5 | 6 | 3 | 2 | 1 | | | | | | | | | | | | | | | |
| 3.0 | 4 | 2 | 1 | | | | | | | | | | | | | | | | |
| 3.5 | 2 | 1 | | | | | | | | | | | | | | | | | |
| 4.0 | 1 | | | | | | | | | | | | | | | | | | |

* Data from Gauge 640 from 1985 and 1986 as well as data from Gauge 141 for 1987 were used for comparison with Gauge 111. Gauge 511 used for Jan-Aug 1993.




Figure C8. 1995 monthly spectra for Gauge 111 (Sheet 1 of 6)




Figure C8. (Sheet 2 of 6)




Figure C8. (Sheet 3 of 6)




Figure C8. (Sheet 4 of 6)




Figure C8. (Sheet 5 of 6)




Figure C8. (Sheet 6 of 6)

Table C7
Wave statistics for Gauge 111

| Month | 1995 | | | | | | | 1985-1995 | | | | | | |
|--------|--------|-----------|---------|------|--------|-----------|--------|-----------|-----------|---------|----------|--------|-----------|--------|
| | Height | | | Date | Period | | | Height | | | Date | Period | | |
| | Mean | Std. Dev. | Extreme | | Mean | Std. Dev. | Number | Mean | Std. Dev. | Extreme | | Mean | Std. Dev. | Number |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| m | m | m | sec | sec | Obs. | m | m | m | sec | sec | Obs. | | | |
| Jan | 1.1 | 0.6 | 2.7 | 15 | 9.1 | 3.4 | 123 | 1.0 | 0.7 | 4.0 | 1992 | 8.6 | 2.7 | 1329 |
| Feb | 0.8 | 0.4 | 1.8 | 18 | 8.5 | 3.0 | 112 | 1.0 | 0.6 | 4.0 | 1989 | 8.6 | 2.5 | 1209 |
| Mar | 1.1 | 0.5 | 2.6 | 2 | 9.2 | 2.4 | 121 | 1.1 | 0.7 | 4.5 | 1987 | 8.9 | 2.5 | 1337 |
| Apr | 0.8 | 0.4 | 1.8 | 5 | 8.3 | 3.2 | 120 | 0.9 | 0.6 | 4.8 | 1988 | 9.2 | 2.8 | 1295 |
| May | 0.8 | 0.4 | 1.6 | 3 | 9.3 | 2.7 | 124 | 0.9 | 0.6 | 3.3 | 1994 | 8.9 | 2.7 | 1305 |
| Jun | 0.8 | 0.3 | 1.7 | 28 | 7.8 | 2.2 | 119 | 0.7 | 0.4 | 2.4 | 1986 | 8.5 | 2.4 | 1281 |
| Jul | 0.6 | 0.2 | 1.0 | 9 | 9.2 | 2.4 | 120 | 0.6 | 0.3 | 1.9 | 1986 | 8.7 | 2.5 | 1295 |
| Aug | 1.4 | 0.9 | 4.0 | 16 | 10.2 | 2.9 | 124 | 0.8 | 0.5 | 4.3 | 1991 | 8.7 | 2.7 | 1280 |
| Sep | 1.3 | 0.5 | 2.3 | 30 | 9.7 | 3.1 | 120 | 1.0 | 0.6 | 4.0 | 1992 | 9.0 | 2.7 | 1259 |
| Oct | 0.9 | 0.3 | 1.8 | 21 | 9.2 | 2.8 | 124 | 1.1 | 0.7 | 5.0 | 1991 | 8.9 | 2.8 | 1324 |
| Nov | 0.9 | 0.5 | 2.3 | 11 | 9.1 | 2.9 | 118 | 1.0 | 0.7 | 4.6 | 1994 | 8.6 | 2.8 | 1289 |
| Dec | 0.8 | 0.4 | 2.1 | 7 | 7.4 | 2.6 | 124 | 1.1 | 0.8 | 4.5 | 1989 | 8.8 | 3.1 | 1260 |
| Annual | 0.9 | 0.5 | 4.0 | Aug | 8.9 | 2.9 | 1449 | 0.9 | 0.6 | 5.0 | Oct 1991 | 8.8 | 2.7 | 15463 |




Figure C9. Time-histories of wave height and period for Gauge 111

Appendix D

Wave Data for Gauge 625

Wave data summaries for Gauge 625 for 1995 and for 1980 through 1995 are presented in the following pages:

Daily H_{mo} and T_p

Figure D1 displays the individual wave height H_{mo} and peak spectral wave period T_p values, along with the monthly mean values.

Joint Distributions of H_{mo} and T_p

Annual and monthly joint distribution tables are presented in Tables D1 and D2, and data for 1980 through 1995 are in Tables D3 and D4. Each table gives the frequency (in parts per 10,000) for which the wave height and peak period were within the specified intervals; these values can be converted to percentages by dividing by 100. Marginal totals are also included. The row total gives the number of observations out of 10,000 that fell within each specified peak period interval. The column total gives the number of observations out of 10,000 that fell within each specified wave height interval.

Cumulative Distributions of Wave Height

Annual and monthly wave height distributions for 1995 are plotted in cumulative form in Figures D2 and D3. Data for 1980 through 1995 are plotted in Figure D4.

Peak Spectral Wave Period Distributions

Annual and monthly peak wave period T_p distribution histograms for 1995 are presented in Figures D5 and D6. Data for 1980 through 1995 are presented in Figure D7.

Persistence of Wave Heights

Table D5 shows the number of times in 1995 when the specified wave height was equaled or exceeded at least once during each day for the duration (consecutive days). Data for 1980 through 1995 are averaged and given in Table D6. An example is shown below:

| Height m | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 18 | 15 | | 14 | 13 | 12 | | 11 | 10 | 9 | | | | 8 | | 7 | | | |
| 1.0 | 50 | 34 | 24 | 21 | 18 | 14 | 12 | 8 | 7 | 3 | | | 2 | | | | | | |
| 1.5 | 41 | 19 | 8 | 6 | 2 | 1 | | | | | | | | | | | | | |
| 2.0 | 22 | 9 | 5 | 1 | | | | | | | | | | | | | | | |
| 2.5 | 10 | 5 | 2 | | | | | | | | | | | | | | | | |
| 3.0 | 6 | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | | 1 | | | | | | | | | | | | | | | | | |
| 4.0 | 1 | | | | | | | | | | | | | | | | | | |

This example indicates that wave heights equaled or exceeded 1.0 m 50 times for at least 1 day; 34 times for at least 2 days; 24 times for at least 3 days, etc. Therefore, on 16 occasions the height equaled or exceeded 1.0 m for 1 day exactly ($50 - 34 = 16$); on 10 occasions for 2 days; on 3 occasions for 3 days, etc. Note that the height exceeded 1 m 50 times for 1 day or longer, while heights exceeded 0.5 m only 18 times for this same duration. This change in durations occurred because the longer durations of lower waves may be interspersed with shorter, but more frequent, intervals of higher waves. For example, one of the times that the wave heights exceeded 0.5 m for 16 days may have represented three times the height exceeded 1 m for shorter durations.

Spectra

Monthly spectra for the offshore staff gauge (Gauge 625) are presented in Figure D8. The plots show "relative" energy density as a function of wave frequency. These figures summarize the large number of spectra for each

month. The figures emphasize the higher energy density associated with storms, as well as the general shifts in energy density to different frequencies. As used here, "relative" indicates the spectra have been smoothed by the three-dimensional surface drawing routine. Consequently, extremely high- and low-energy density values are modified to produce a smooth surface. The figures are not intended for quantitative measurements; however, they do provide the energy density as a function of frequency relative to the other spectra for the month.

Monthly and annual wave statistics for Gauge 625 for 1995 and for 1980 through 1995 are presented in Table D7.

Figure D9 plots monthly time-histories of wave height and period.




Figure D1. 1995 daily wave height and period values with monthly means for Gauge 625

Table D1
Annual Joint Distribution of H_{mo} versus T_p

| Annual 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 28 | 21 | 42 | 76 | 160 | 167 | 187 | 250 | 583 | 76 | 250 | 69 | 1909 |
| 0.50 - 0.99 | 28 | 111 | 347 | 632 | 611 | 416 | 597 | 701 | 916 | 243 | 479 | 14 | 5095 |
| 1.00 - 1.49 | . | 14 | 111 | 361 | 361 | 243 | 194 | 187 | 451 | 125 | 160 | 7 | 2214 |
| 1.50 - 1.99 | . | . | . | 56 | 111 | 104 | 49 | 111 | 125 | 14 | 42 | . | 612 |
| 2.00 - 2.49 | . | . | . | . | 14 | . | 14 | 28 | 42 | 7 | 7 | . | 112 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | 7 | 21 | 7 | . | 35 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | 14 | 14 | . | 28 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 56 | 146 | 500 | 1125 | 1257 | 930 | 1041 | 1277 | 2124 | 500 | 959 | 90 | |

Table D2
Monthly Joint Distribution of H_{mo} versus T_p

| January 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 81 | . | . | . | 81 | 163 | 81 | 325 | 163 | . | 732 | 325 | 1951 | |
| 0.50 - 0.99 | . | 81 | 569 | 813 | 732 | 488 | 244 | 81 | 894 | . | 325 | 81 | 4308 | |
| 1.00 - 1.49 | . | . | . | 244 | 244 | 325 | 244 | 163 | 650 | . | . | . | 1870 | |
| 1.50 - 1.99 | . | . | . | 81 | . | 325 | 163 | 325 | 569 | . | 81 | . | 1544 | |
| 2.00 - 2.49 | . | . | . | . | 81 | . | . | . | 163 | . | . | . | 244 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | 81 | . | . | . | 81 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 81 | 81 | 569 | 1138 | 1138 | 1301 | 732 | 894 | 2520 | 0 | 1138 | 406 | | |

| February 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | 89 | 179 | 268 | 446 | 357 | 714 | 357 | 357 | 357 | 3124 | |
| 0.50 - 0.99 | . | 89 | 804 | 268 | 982 | 625 | 446 | 714 | 625 | 89 | 179 | . | 4821 | |
| 1.00 - 1.49 | . | . | . | 804 | 625 | 268 | 179 | . | . | . | . | . | 1876 | |
| 1.50 - 1.99 | . | . | . | . | 89 | 89 | . | . | . | . | . | . | 178 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 89 | 804 | 1161 | 1875 | 1250 | 1071 | 1071 | 1339 | 446 | 536 | 357 | | |

| March 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 0.50 - 0.99 | 83 | 248 | 83 | 579 | 496 | 413 | 1074 | 992 | 1074 | 248 | 496 | . | 5786 | |
| 1.00 - 1.49 | . | 83 | . | 248 | 331 | 331 | 331 | 413 | 909 | 331 | 83 | . | 3060 | |
| 1.50 - 1.99 | . | . | . | 83 | 83 | 248 | . | 413 | 165 | . | . | . | 992 | |
| 2.00 - 2.49 | . | . | . | . | . | . | 83 | 83 | . | . | . | . | 166 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 83 | 331 | 83 | 910 | 910 | 992 | 1488 | 1901 | 2148 | 579 | 579 | 0 | | |

(Continued)

(Sheet 1 of 4)

(Continued)

(Sheet 1 of 4)

Table D2 (Continued)

| April 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | 83 | . | 83 | 167 | 167 | 250 | . | 167 | 83 | 1000 | |
| 0.50 - 0.99 | 83 | 167 | 917 | 917 | 1083 | 667 | 917 | 417 | 167 | 667 | 1083 | . | 7085 | |
| 1.00 - 1.49 | . | . | 167 | 167 | 667 | 167 | 167 | 333 | . | . | . | . | 1668 | |
| 1.50 - 1.99 | . | . | . | 83 | 83 | 83 | . | . | . | . | . | . | 249 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 83 | 167 | 1084 | 1250 | 1833 | 1000 | 1251 | 917 | 417 | 667 | 1250 | 83 | | |

| May 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | 81 | 484 | 161 | 161 | . | 645 | . | 81 | . | 1613 | |
| 0.50 - 0.99 | . | 161 | 242 | 484 | 242 | 403 | 161 | 403 | 2419 | 242 | 968 | . | 5725 | |
| 1.00 - 1.49 | . | 81 | 81 | 161 | 242 | 403 | 242 | 323 | 887 | 81 | 81 | . | 2582 | |
| 1.50 - 1.99 | . | . | . | . | . | . | 81 | . | . | . | . | . | 81 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 242 | 323 | 726 | 968 | 967 | 645 | 726 | 3951 | 323 | 1130 | 0 | | |

| June 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | 89 | 89 | 714 | 179 | 268 | 268 | 268 | 89 | 446 | . | 2410 | |
| 0.50 - 0.99 | 89 | . | 268 | 1071 | 1161 | 1250 | 1339 | 446 | 179 | 89 | 89 | . | 5981 | |
| 1.00 - 1.49 | . | . | 179 | 179 | . | 446 | 268 | 179 | 268 | . | 89 | . | 1608 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 89 | 0 | 536 | 1339 | 1875 | 1875 | 1875 | 893 | 715 | 178 | 624 | 0 | | |

(Continued)

(Sheet 2 of 4)

(Continued)

(Sheet 2 of 4)

Table D2 (Continued)

| July 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 244 | 81 | 163 | . | 81 | 325 | 732 | 1301 | 2520 | 163 | 163 | . | 5773 | |
| 0.50 - 0.99 | . | 163 | 163 | 732 | 163 | 163 | 650 | 732 | 1220 | 81 | 163 | . | 4230 | |
| 1.00 - 1.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 244 | 244 | 326 | 732 | 244 | 488 | 1382 | 2033 | 3740 | 244 | 326 | 0 | | |

| August 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | 81 | 403 | 323 | 81 | 806 | . | 161 | 81 | 1936 | |
| 0.50 - 0.99 | 81 | 81 | 161 | 323 | 81 | . | 484 | 806 | 403 | 161 | 403 | . | 2984 | |
| 1.00 - 1.49 | . | . | 81 | 242 | 242 | . | 81 | 81 | 645 | 323 | 484 | . | 2179 | |
| 1.50 - 1.99 | . | . | . | . | 81 | 242 | 81 | 161 | 565 | 161 | 242 | . | 1533 | |
| 2.00 - 2.49 | . | . | . | . | 81 | . | . | 161 | 323 | 81 | 81 | . | 727 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | 242 | 81 | . | 323 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | 161 | 161 | . | 322 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 81 | 81 | 242 | 565 | 566 | 645 | 969 | 1290 | 2742 | 1129 | 1613 | 81 | | |

| September 1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 0.50 - 0.99 | . | . | . | . | 83 | 417 | 500 | 583 | 1500 | 167 | 83 | . | 3333 | |
| 1.00 - 1.49 | . | . | 167 | 333 | 417 | 333 | 417 | 333 | 1250 | 750 | 750 | 83 | 4833 | |
| 1.50 - 1.99 | . | . | . | 333 | 750 | 167 | 83 | 250 | . | . | 167 | . | 1750 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | 83 | . | . | . | . | 83 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 0 | 167 | 666 | 1250 | 917 | 1000 | 1249 | 2750 | 917 | 1000 | 83 | | |

(Continued)

(Sheet 3 of 4)

(Continued)

(Sheet 3 of 4)

Table D2 (Concluded)

| October 1995, Gauge 625 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|---|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | . | . | . | . | . | . | . | 81 | . | . | . | 81 |
| 0.50 - 0.99 | . | 81 | 161 | 323 | 565 | 323 | 726 | 2258 | 1210 | 645 | 1129 | 81 | 7502 |
| 1.00 - 1.49 | . | . | 242 | 887 | 161 | 161 | 81 | 161 | 403 | . | 81 | . | 2177 |
| 1.50 - 1.99 | . | . | . | . | . | . | 161 | 81 | . | . | . | . | 242 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 81 | 403 | 1210 | 726 | 484 | 968 | 2500 | 1694 | 645 | 1210 | 81 | |

| November 1995, Gauge 625 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | . | . | . | . | 169 | . | 339 | 1271 | 169 | 678 | . | 2626 |
| 0.50 - 0.99 | . | 85 | 169 | 254 | 593 | 254 | 254 | 593 | 678 | 424 | 763 | . | 4067 |
| 1.00 - 1.49 | . | . | 169 | 593 | 1017 | 339 | 85 | 254 | 169 | . | 339 | . | 2965 |
| 1.50 - 1.99 | . | . | . | 85 | 169 | . | . | . | . | . | . | . | 254 |
| 2.00 - 2.49 | . | . | . | . | . | . | 85 | . | . | . | . | . | 85 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 85 | 338 | 932 | 1779 | 762 | 424 | 1186 | 2118 | 593 | 1780 | 0 | |

| December 1995, Gauge 625 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | 167 | 250 | 583 | 333 | 250 | 83 | 167 | 250 | 167 | 250 | . | 2500 |
| 0.50 - 0.99 | . | 167 | 667 | 1833 | 1250 | 83 | 417 | 333 | 500 | 83 | . | . | 5333 |
| 1.00 - 1.49 | . | . | 250 | 500 | 417 | 167 | 250 | . | 167 | . | . | . | 1751 |
| 1.50 - 1.99 | . | . | . | . | 83 | 83 | . | 83 | 167 | . | . | . | 416 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 334 | 1167 | 2916 | 2083 | 583 | 750 | 583 | 1084 | 250 | 250 | 0 | |

(Sheet 4 of 4)

Table D3
Annual Joint Distribution of H_{mo} versus T_p (All Years)

| Annual 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 12 | 23 | 42 | 67 | 116 | 238 | 556 | 527 | 439 | 180 | 261 | 23 | 2484 | |
| 0.50 - 0.99 | 8 | 100 | 263 | 449 | 461 | 419 | 716 | 763 | 812 | 163 | 299 | 28 | 4481 | |
| 1.00 - 1.49 | . | 5 | 99 | 302 | 329 | 200 | 200 | 194 | 334 | 49 | 133 | 2 | 1847 | |
| 1.50 - 1.99 | . | . | 2 | 64 | 171 | 94 | 64 | 66 | 135 | 36 | 66 | 3 | 701 | |
| 2.00 - 2.49 | . | . | . | 1 | 35 | 42 | 26 | 33 | 68 | 36 | 42 | 1 | 284 | |
| 2.50 - 2.99 | . | . | . | . | 2 | 10 | 17 | 23 | 44 | 17 | 31 | 1 | 145 | |
| 3.00 - 3.49 | . | . | . | . | . | . | 4 | 6 | 16 | 9 | 13 | 1 | 49 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 20 | 128 | 406 | 883 | 1114 | 1003 | 1583 | 1612 | 1850 | 491 | 847 | 59 | | |

Table D4
Monthly Joint Distribution of H_{mo} versus T_p (All Years)

| January 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|--|
| Height (m) | Period(sec) | | | | | | | | | | | | Total | |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | | |
| 0.00 - 0.49 | 12 | 30 | 36 | 65 | 95 | 178 | 303 | 547 | 399 | 113 | 202 | 36 | 2016 | |
| 0.50 - 0.99 | . | 155 | 268 | 452 | 529 | 291 | 571 | 500 | 827 | 107 | 214 | 24 | 3938 | |
| 1.00 - 1.49 | . | . | 107 | 523 | 541 | 220 | 202 | 184 | 434 | 6 | 65 | . | 2282 | |
| 1.50 - 1.99 | . | . | . | 77 | 220 | 202 | 83 | 125 | 196 | 36 | 36 | . | 975 | |
| 2.00 - 2.49 | . | . | . | . | 59 | 119 | 48 | 48 | 155 | 30 | 83 | . | 542 | |
| 2.50 - 2.99 | . | . | . | . | 6 | 12 | 24 | 36 | 71 | 18 | 30 | . | 197 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | 6 | 18 | 12 | . | . | 36 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | 6 | 6 | . | . | 12 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 12 | 185 | 411 | 1117 | 1450 | 1022 | 1231 | 1446 | 2106 | 328 | 630 | 60 | 0 | |

| February 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|--|
| Height (m) | Period(sec) | | | | | | | | | | | | Total | |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | | |
| 0.00 - 0.49 | 6 | 12 | 30 | 42 | 61 | 91 | 267 | 388 | 358 | 91 | 176 | 24 | 1546 | |
| 0.50 - 0.99 | 12 | 55 | 218 | 370 | 412 | 382 | 655 | 740 | 1061 | 61 | 255 | 6 | 4227 | |
| 1.00 - 1.49 | . | 6 | 109 | 388 | 473 | 261 | 291 | 230 | 503 | 49 | 176 | . | 2486 | |
| 1.50 - 1.99 | . | . | . | 115 | 291 | 109 | 73 | 97 | 182 | 55 | 79 | . | 1001 | |
| 2.00 - 2.49 | . | . | . | . | 30 | 73 | 36 | 42 | 73 | 67 | 97 | . | 418 | |
| 2.50 - 2.99 | . | . | . | . | . | 12 | 12 | 30 | 85 | 18 | 79 | . | 236 | |
| 3.00 - 3.49 | . | . | . | . | . | . | 18 | 6 | 24 | 6 | 6 | . | 60 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | 6 | 6 | 12 | . | 24 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 18 | 73 | 357 | 915 | 1267 | 928 | 1352 | 1533 | 2292 | 353 | 880 | 30 | 0 | |

| March 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|--|
| Height (m) | Period(sec) | | | | | | | | | | | | Total | |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | | |
| 0.00 - 0.49 | 16 | 5 | 5 | 65 | 76 | 92 | 291 | 210 | 302 | 108 | 167 | . | 1337 | |
| 0.50 - 0.99 | 16 | 81 | 205 | 502 | 470 | 502 | 669 | 685 | 998 | 130 | 378 | . | 4636 | |
| 1.00 - 1.49 | . | 11 | 135 | 281 | 356 | 264 | 189 | 227 | 594 | 59 | 286 | . | 2402 | |
| 1.50 - 1.99 | . | . | . | 70 | 157 | 86 | 76 | 97 | 243 | 54 | 140 | 5 | 928 | |
| 2.00 - 2.49 | . | . | . | 5 | 43 | 43 | 38 | 43 | 103 | 59 | 54 | . | 388 | |
| 2.50 - 2.99 | . | . | . | . | . | 5 | 22 | 16 | 76 | 32 | 54 | . | 205 | |
| 3.00 - 3.49 | . | . | . | . | . | . | 11 | 11 | 43 | 11 | 27 | . | 103 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 32 | 97 | 345 | 923 | 1102 | 992 | 1296 | 1289 | 2359 | 453 | 1106 | 5 | 0 | |

(Continued)

(Sheet 1 of 4)

(Continued)

(Sheet 1 of 4)

Table D4 (Continued)

| April 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 11 | 17 | 11 | 57 | 40 | 141 | 436 | 368 | 374 | 192 | 374 | 6 | 2027 | |
| 0.50 - 0.99 | 11 | 85 | 215 | 419 | 407 | 419 | 883 | 945 | 1064 | 243 | 549 | 11 | 5251 | |
| 1.00 - 1.49 | . | 6 | 96 | 215 | 249 | 181 | 187 | 266 | 289 | 34 | 141 | . | 1664 | |
| 1.50 - 1.99 | . | . | 6 | 40 | 113 | 45 | 68 | 91 | 221 | 11 | 68 | . | 663 | |
| 2.00 - 2.49 | . | . | . | 6 | 23 | 6 | 28 | 23 | 91 | 28 | 6 | . | 211 | |
| 2.50 - 2.99 | . | . | . | . | 6 | 17 | 23 | 17 | 40 | 28 | 6 | . | 137 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | 6 | 28 | . | 17 | . | 51 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 22 | 108 | 328 | 737 | 838 | 809 | 1625 | 1716 | 2107 | 536 | 1161 | 17 | | |

| May 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 21 | 21 | 37 | 96 | 202 | 308 | 621 | 605 | 557 | 207 | 345 | 5 | 3025 | |
| 0.50 - 0.99 | 5 | 143 | 318 | 393 | 472 | 472 | 924 | 950 | 764 | 106 | 249 | 11 | 4807 | |
| 1.00 - 1.49 | . | 5 | 64 | 149 | 133 | 180 | 287 | 223 | 329 | 21 | 74 | . | 1465 | |
| 1.50 - 1.99 | . | . | . | 69 | 80 | 27 | 58 | 58 | 101 | 11 | 48 | . | 452 | |
| 2.00 - 2.49 | . | . | . | . | 48 | 27 | 21 | 21 | 5 | 27 | 16 | 5 | 170 | |
| 2.50 - 2.99 | . | . | . | . | . | . | 11 | 11 | 27 | 16 | 11 | . | 76 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | 5 | . | 5 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 26 | 169 | 419 | 707 | 935 | 1014 | 1922 | 1868 | 1783 | 388 | 748 | 21 | | |

| June 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 24 | 42 | 72 | 72 | 307 | 463 | 1288 | 842 | 505 | 132 | 187 | 12 | 3946 | |
| 0.50 - 0.99 | 12 | 120 | 277 | 505 | 487 | 529 | 1143 | 975 | 602 | 96 | 120 | 30 | 4896 | |
| 1.00 - 1.49 | . | . | 54 | 144 | 138 | 126 | 120 | 108 | 162 | . | 36 | 6 | 894 | |
| 1.50 - 1.99 | . | . | . | 24 | 42 | 18 | 12 | 6 | 90 | . | 36 | . | 228 | |
| 2.00 - 2.49 | . | . | . | . | 6 | 12 | 6 | 6 | 6 | . | . | . | 36 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 36 | 162 | 403 | 745 | 980 | 1148 | 2569 | 1937 | 1365 | 228 | 379 | 48 | | |

(Continued)

(Sheet 2 of 4)

(Continued)

(Sheet 2 of 4)

Table D4 (Continued)

| July 1980-1995, Gauge 625 | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 25 | 74 | 142 | 124 | 192 | 655 | 1477 | 1323 | 878 | 352 | 358 | 49 | 5649 |
| 0.50 - 0.99 | 12 | 136 | 278 | 433 | 507 | 476 | 655 | 575 | 402 | 204 | 155 | 49 | 3882 |
| 1.00 - 1.49 | . | . | 31 | 105 | 93 | 68 | 43 | 25 | 31 | . | 12 | . | 408 |
| 1.50 - 1.99 | . | . | . | 6 | 12 | 12 | 12 | 6 | 6 | . | . | . | 54 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 37 | 210 | 451 | 668 | 804 | 1211 | 2187 | 1929 | 1317 | 556 | 525 | 98 | |

| August 1980-1995, Gauge 625 | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 30 | 47 | 59 | 201 | 484 | 992 | 791 | 614 | 207 | 213 | 12 | 3650 | |
| 0.50 - 0.99 | 24 | 112 | 272 | 490 | 514 | 579 | 880 | 803 | 585 | 189 | 284 | 53 | 4785 | |
| 1.00 - 1.49 | . | . | 77 | 183 | 171 | 118 | 195 | 83 | 112 | 35 | 41 | . | 1015 | |
| 1.50 - 1.99 | . | . | . | 30 | 77 | 47 | 18 | 18 | 89 | 24 | 41 | . | 344 | |
| 2.00 - 2.49 | . | . | . | . | 18 | 6 | . | 12 | 47 | 6 | 35 | . | 124 | |
| 2.50 - 2.99 | . | . | . | . | . | . | 6 | 6 | 6 | 18 | 6 | . | 42 | |
| 3.00 - 3.49 | . | . | . | . | 6 | . | . | 6 | 6 | 12 | 12 | . | 42 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 24 | 142 | 396 | 762 | 987 | 1234 | 2091 | 1719 | 1459 | 491 | 632 | 65 | | |

| September 1980-1995, Gauge 625 | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 6 | 32 | 19 | 52 | 110 | 271 | 367 | 361 | 232 | 258 | 39 | 1747 | |
| 0.50 - 0.99 | . | 84 | 251 | 316 | 380 | 470 | 651 | 767 | 1044 | 161 | 393 | . | 4517 | |
| 1.00 - 1.49 | . | . | 77 | 354 | 322 | 271 | 303 | 303 | 432 | 148 | 213 | 6 | 2429 | |
| 1.50 - 1.99 | . | . | . | 116 | 258 | 129 | 84 | 97 | 64 | 39 | 90 | 6 | 883 | |
| 2.00 - 2.49 | . | . | . | . | 13 | 90 | 45 | 32 | 19 | 58 | 45 | 6 | 308 | |
| 2.50 - 2.99 | . | . | . | . | . | 6 | 19 | 19 | 32 | . | 19 | . | 95 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | 19 | . | . | . | 19 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 90 | 360 | 805 | 1025 | 1076 | 1373 | 1585 | 1971 | 638 | 1018 | 57 | | |

(Continued)

(Sheet 3 of 4)

Table D4 (Concluded)

| October 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 5 | 5 | 21 | 42 | 21 | 105 | 237 | 232 | 279 | 84 | 221 | 26 | 1278 | | |
| 0.50 - 0.99 | . | 95 | 258 | 342 | 374 | 316 | 632 | 837 | 943 | 242 | 353 | 32 | 4424 | | |
| 1.00 - 1.49 | . | 5 | 163 | 442 | 405 | 158 | 142 | 263 | 458 | 105 | 211 | 11 | 2363 | | |
| 1.50 - 1.99 | . | . | 21 | 84 | 237 | 74 | 105 | 68 | 205 | 90 | 100 | 16 | 1000 | | |
| 2.00 - 2.49 | . | . | . | . | 63 | 74 | 53 | 79 | 132 | 53 | 47 | 5 | 506 | | |
| 2.50 - 2.99 | . | . | . | . | 11 | 37 | 47 | 47 | 53 | 21 | 58 | 16 | 290 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | 16 | 16 | 16 | 32 | 26 | 11 | 117 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | 11 | 5 | . | 5 | 21 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 5 | 105 | 463 | 910 | 1111 | 764 | 1232 | 1542 | 2097 | 632 | 1016 | 122 | | | |

| November 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 6 | 11 | 34 | 67 | 39 | 134 | 342 | 398 | 336 | 218 | 308 | 50 | 1943 | | |
| 0.50 - 0.99 | 6 | 62 | 347 | 482 | 510 | 359 | 588 | 644 | 627 | 241 | 314 | 28 | 4208 | | |
| 1.00 - 1.49 | . | 22 | 129 | 364 | 566 | 308 | 246 | 207 | 291 | 84 | 140 | 6 | 2363 | | |
| 1.50 - 1.99 | . | . | . | 84 | 252 | 185 | 118 | 78 | 95 | 62 | 45 | 11 | 930 | | |
| 2.00 - 2.49 | . | . | . | . | 62 | 28 | 28 | 17 | 62 | 39 | 39 | . | 275 | | |
| 2.50 - 2.99 | . | . | . | . | . | 11 | 22 | 45 | 56 | 22 | 39 | . | 195 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | 6 | 6 | 22 | 11 | 28 | . | 73 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | 11 | . | 11 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 12 | 95 | 510 | 997 | 1429 | 1025 | 1350 | 1395 | 1489 | 677 | 924 | 95 | | | |

| December 1980-1995, Gauge 625 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 12 | 30 | 48 | 95 | 125 | 131 | 244 | 345 | 345 | 238 | 322 | 24 | 1959 | | |
| 0.50 - 0.99 | . | 71 | 238 | 691 | 471 | 244 | 328 | 703 | 798 | 161 | 304 | 95 | 4104 | | |
| 1.00 - 1.49 | . | . | 131 | 476 | 494 | 244 | 191 | 185 | 334 | 48 | 179 | . | 2282 | | |
| 1.50 - 1.99 | . | . | . | 48 | 316 | 203 | 54 | 48 | 95 | 48 | 101 | . | 913 | | |
| 2.00 - 2.49 | . | . | . | . | 42 | 36 | 6 | 71 | 107 | 60 | 83 | . | 405 | | |
| 2.50 - 2.99 | . | . | . | . | 6 | 18 | 18 | 48 | 77 | 30 | 66 | . | 263 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | 18 | 12 | 18 | 30 | . | 78 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 12 | 101 | 417 | 1310 | 1454 | 876 | 841 | 1418 | 1768 | 603 | 1085 | 119 | | | |

(Sheet 4 of 4)

(Sheet 4 of 4)




Figure D2. Annual cumulative wave height distributions for Gauge 625




Figure D3. 1995 monthly wave height distributions for Gauge 625




Figure D4. 1980-1995 monthly wave height distributions for Gauge 625




Figure D5. Annual wave period distributions for all gauges




Figure D6. 1995 monthly wave period distributions for Gauge 625




Figure D7. 1980-1995 monthly wave period distributions for Gauge 625

Table D5
1995 persistence of H_{mo} for Gauge 625

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|---|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 24 | 21 | 16 | 15 | | 14 | 12 | 11 | 10 | | 8 | | | 6 | 5 | 4 | | | 3 |
| 1.0 | 55 | 38 | 25 | 18 | 9 | 6 | 5 | 2 | | | 1 | | | | | | | | |
| 1.5 | 25 | 12 | 7 | | | 2 | 1 | | | | | | | | | | | | |
| 2.0 | 9 | 3 | | | | | | | | | | | | | | | | | |
| 2.5 | 3 | 1 | | | | | | | | | | | | | | | | | |
| 3.0 | | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | | | | | | | | | | | | | | | | | | | |

Table D6
1980 through 1995 persistence of H_{mo} for Gauge 625

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 29 | 26 | 22 | 20 | 17 | 16 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | | 6 | 5 | | | 4 |
| 1.0 | 45 | 31 | 21 | | 14 | 7 | 5 | 4 | 3 | 2 | | | 1 | | | | | | |
| 1.5 | 29 | 16 | 9 | | 5 | 2 | 1 | | | | | | | | | | | | |
| 2.0 | 14 | 7 | 4 | | 1 | | | | | | | | | | | | | | |
| 2.5 | 7 | 3 | 2 | 1 | | | | | | | | | | | | | | | |
| 3.0 | 3 | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | 1 | | | | | | | | | | | | | | | | | | |
| 4.0 | | | | | | | | | | | | | | | | | | | |




Figure D8. 1995 monthly spectra for Gauge 625 (Sheet 1 of 6)




Figure D8. (Sheet 2 of 6)




Figure D8. (Sheet 3 of 6)




Figure D8. (Sheet 4 of 6)




Figure D8. (Sheet 5 of 6)




Figure D8. (Sheet 6 of 6)

Table D7
Wave statistics for Gauge 625

| Month | 1995 | | | | | | | 1980-1995 | | | | | | |
|--------|--------|------|---------|------|--------|------|--------|-----------|------|---------|----------|--------|------|--------|
| | Height | | | Date | Period | | | Height | | | Date | Period | | |
| | Std. | | | | Std. | | | Std. | | | | Std. | | |
| | Mean | Dev. | Extreme | | Mean | Dev. | Number | Mean | Dev. | Extreme | | Mean | Dev. | Number |
| | m | m | m | | sec | sec | Obs. | m | m | m | | sec | sec | Obs. |
| Jan | 1.0 | 0.5 | 2.6 | 15 | 9.3 | 3.6 | 123 | 1.0 | 0.6 | 3.6 | 1992 | 8.6 | 2.7 | 1681 |
| Feb | 0.7 | 0.4 | 1.5 | 12 | 8.6 | 3.3 | 112 | 1.1 | 0.6 | 3.8 | 1989 | 8.9 | 2.6 | 1649 |
| Mar | 1.1 | 0.4 | 2.1 | 2 | 9.0 | 2.5 | 121 | 1.1 | 0.6 | 3.4 | 1983 | 9.0 | 2.7 | 1853 |
| Apr | 0.8 | 0.3 | 1.6 | 10 | 8.4 | 3.4 | 120 | 0.9 | 0.5 | 3.4 | 1988 | 9.3 | 2.7 | 1767 |
| May | 0.8 | 0.3 | 1.5 | 3 | 9.4 | 2.6 | 124 | 0.8 | 0.5 | 3.0 | 1986 | 8.8 | 2.6 | 1884 |
| Jun | 0.8 | 0.3 | 1.5 | 28 | 7.8 | 2.3 | 112 | 0.7 | 0.4 | 2.3 | 1983 | 8.4 | 2.3 | 1662 |
| Jul | 0.5 | 0.2 | 0.9 | 9 | 9.1 | 2.4 | 123 | 0.6 | 0.3 | 1.8 | 1985 | 8.8 | 2.7 | 1618 |
| Aug | 1.2 | 0.8 | 3.3 | 16 | 10.2 | 3.0 | 124 | 0.7 | 0.5 | 3.3 | 1995 | 8.7 | 2.7 | 1693 |
| Sep | 1.2 | 0.4 | 2.1 | 30 | 9.8 | 2.9 | 120 | 1.0 | 0.5 | 3.2 | 1992 | 9.1 | 2.8 | 1552 |
| Oct | 0.9 | 0.3 | 1.7 | 21 | 9.3 | 2.8 | 124 | 1.1 | 0.7 | 3.5 | 1991 | 9.1 | 2.9 | 1899 |
| Nov | 0.9 | 0.4 | 2.2 | 11 | 9.3 | 2.8 | 118 | 1.0 | 0.6 | 3.5 | 1981 | 8.8 | 3.0 | 1785 |
| Dec | 0.8 | 0.4 | 1.9 | 7 | 7.1 | 2.7 | 120 | 1.0 | 0.6 | 3.4 | 1994 | 8.9 | 3.1 | 1679 |
| Annual | 0.9 | 0.5 | 3.3 | Aug | 9.0 | 3.0 | 1441 | 0.9 | 0.6 | 3.8 | Feb 1992 | 8.9 | 2.8 | 20722 |




Figure D9. Time-histories of wave height and period for Gauge 625

Appendix E

Wave Data for Gauge 641

Wave data summaries for Gauge 641 for 1995 and for 1980 through 1995 are presented in the following pages:

Daily H_{mo} and T_p

Figure E1 displays the individual wave height H_{mo} and peak spectral wave period T_p values, along with the monthly mean values.

Joint Distributions of H_{mo} and T_p

Annual and monthly joint distribution tables are presented in Tables E1 and E2, and data for 1980 through 1995 are in Tables E3 and E4. Each table gives the frequency (in parts per 10,000) for which the wave height and peak period were within the specified intervals; these values can be converted to percentages by dividing by 100. Marginal totals are also included. The row total gives the number of observations out of 10,000 that fell within each specified peak period interval. The column total gives the number of observations out of 10,000 that fell within each specified wave height interval.

Cumulative Distributions of Wave Height

Annual and monthly wave height distributions for 1995 are plotted in cumulative form in Figures E2 and E3. Data for 1980 through 1995 are plotted in Figure E4.

Peak Spectral Wave Period Distributions

Annual and monthly peak wave period T_p distribution histograms for 1995 are presented in Figures E5 and E6. Data for 1980 through 1995 are presented in Figure E7.

Persistence of Wave Heights

Table E5 shows the number of times in 1995 when the specified wave height was equaled or exceeded at least once during each day for the duration (consecutive days). Data for 1980 through 1995 are averaged and given in Table E6. An example is shown below:

| Height m | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 18 | 15 | | 14 | 13 | 12 | | 11 | 10 | 9 | | | | 8 | | 7 | | | |
| 1.0 | 50 | 34 | 24 | 21 | 18 | 14 | 12 | 8 | 7 | 3 | | | 2 | | | | | | |
| 1.5 | 41 | 19 | 8 | 6 | 2 | 1 | | | | | | | | | | | | | |
| 2.0 | 22 | 9 | 5 | 1 | | | | | | | | | | | | | | | |
| 2.5 | 10 | 5 | 2 | | | | | | | | | | | | | | | | |
| 3.0 | 6 | 1 | | | | | | | | | | | | | | | | | |
| 3.5 | | 1 | | | | | | | | | | | | | | | | | |
| 4.0 | 1 | | | | | | | | | | | | | | | | | | |

This example indicates that wave heights equaled or exceeded 1.0 m 50 times for at least 1 day; 34 times for at least 2 days; 24 times for at least 3 days, etc. Therefore, on 16 occasions the height equaled or exceeded 1.0 m for 1 day exactly ($50 - 34 = 16$); on 10 occasions for 2 days; on 3 occasions for 3 days, etc. Note that the height exceeded 1 m 50 times for 1 day or longer, while heights exceeded 0.5 m only 18 times for this same duration. This change in durations occurred because the longer durations of lower waves may be interspersed with shorter, but more frequent, intervals of higher waves. For example, one of the times that the wave heights exceeded 0.5 m for 16 days may have represented three times the height exceeded 1 m for shorter durations.

Spectra

Monthly spectra for the inshore pressure gauge (Gauge 641) are presented in Figure E8. The plots show "relative" energy density as a function of wave frequency. These figures summarize the large number of spectra for each

month. The figures emphasize the higher energy density associated with storms, as well as the general shifts in energy density to different frequencies. As used here, "relative" indicates the spectra have been smoothed by the three-dimensional surface drawing routine. Consequently, extremely high- and low-energy density values are modified to produce a smooth surface. The figures are not intended for quantitative measurements; however, they do provide the energy density as a function of frequency relative to the other spectra for the month.

Monthly and annual wave statistics for Gauge 641 for 1995 and for 1980 through 1995 are presented in Table E7.

Figure E9 plots monthly time-histories of wave height and period.




Figure E1. 1995 daily wave height and period values with monthly means for Gauge 641

Table E1
Annual Joint Distribution of H_{mo} versus T_p

| Annual 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 35 | 263 | 463 | 677 | 560 | 477 | 435 | 463 | 822 | 359 | 525 | 166 | 5245 |
| 0.50 - 0.99 | . | 35 | 283 | 850 | 809 | 415 | 346 | 359 | 601 | 124 | 352 | 14 | 4188 |
| 1.00 - 1.49 | . | . | 7 | 28 | 69 | 62 | 28 | 48 | 111 | 104 | 83 | 7 | 547 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | 7 | 14 | . | . | 21 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 35 | 298 | 753 | 1555 | 1438 | 954 | 809 | 870 | 1541 | 601 | 960 | 187 | |

Table E2
Monthly Joint Distribution of H_{mo} versus T_p

| January 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 894 | 650 | 813 | 325 | 163 | 407 | 244 | 407 | 81 | 81 | 813 | 4878 | |
| 0.50 - 0.99 | . | . | 163 | 569 | 1138 | 325 | 325 | 244 | 732 | . | 81 | . | 3577 | |
| 1.00 - 1.49 | . | . | . | 81 | . | 244 | 163 | 163 | 732 | . | 81 | . | 1464 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | 81 | . | . | . | 81 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 894 | 813 | 1463 | 1463 | 732 | 895 | 651 | 1952 | 81 | 243 | 813 | | |

| February 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 89 | 89 | 357 | 893 | 714 | 446 | 893 | 804 | 1250 | 89 | 714 | 268 | 6606 | |
| 0.50 - 0.99 | . | . | 89 | 1071 | 982 | 893 | 268 | 89 | . | . | . | . | 3392 | |
| 1.00 - 1.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 89 | 89 | 446 | 1964 | 1696 | 1339 | 1161 | 893 | 1250 | 89 | 714 | 268 | | |

| March 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 172 | 517 | 690 | 603 | 345 | 345 | 345 | 603 | 1034 | 1034 | 345 | 86 | 6119 | |
| 0.50 - 0.99 | . | 86 | . | 431 | 690 | 172 | 345 | 86 | 862 | 259 | 259 | . | 3190 | |
| 1.00 - 1.49 | . | . | 86 | 86 | 172 | 172 | 86 | 86 | . | . | . | . | 688 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 172 | 603 | 776 | 1120 | 1207 | 689 | 776 | 775 | 1896 | 1293 | 604 | 86 | | |

(Continued)

(Sheet 1 of 4)

(Continued)

(Sheet 1 of 4)

Table E2 (Continued)

| April 1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 84 | 504 | 1092 | 1345 | 1008 | 504 | 588 | . | 168 | 840 | 840 | 252 | 7225 |
| 0.50 - 0.99 | . | 84 | 504 | 924 | 504 | 252 | . | 420 | . | . | . | . | 2688 |
| 1.00 - 1.49 | . | . | . | . | 84 | . | . | . | . | . | . | . | 84 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 84 | 588 | 1596 | 2269 | 1596 | 756 | 588 | 420 | 168 | 840 | 840 | 252 | 0 |

| May 1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | 403 | 484 | 645 | 1129 | 806 | 323 | . | 1048 | 645 | 1452 | 161 | 7096 |
| 0.50 - 0.99 | . | 81 | 403 | 1048 | 81 | 242 | 81 | 161 | 565 | 161 | . | . | 2823 |
| 1.00 - 1.49 | . | . | . | . | 81 | . | . | . | . | . | . | . | 81 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 484 | 887 | 1693 | 1291 | 1048 | 404 | 161 | 1613 | 806 | 1452 | 161 | 0 |

| June 1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | . | . | 500 | 750 | 917 | 1250 | 833 | 583 | 250 | 83 | 333 | . | 5499 |
| 0.50 - 0.99 | . | . | 250 | 583 | 1083 | 917 | 500 | 417 | 417 | . | 167 | . | 4334 |
| 1.00 - 1.49 | . | . | . | 83 | . | 83 | . | . | . | . | . | . | 166 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 0 | 750 | 1416 | 2000 | 2250 | 1333 | 1000 | 667 | 83 | 500 | 0 | 0 |

(Continued)

(Sheet 2 of 4)

Table E2 (Continued)

| July 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 163 | 407 | 976 | 976 | 732 | 732 | 1138 | 1626 | 163 | 407 | . | 7320 | |
| 0.50 - 0.99 | . | . | . | 244 | 325 | 325 | 163 | 650 | 894 | . | 81 | . | 2682 | |
| 1.00 - 1.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 163 | 407 | 1220 | 1301 | 1057 | 895 | 1788 | 2520 | 163 | 488 | 0 | | |

| August 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | 161 | . | 81 | 81 | 645 | 403 | 403 | 806 | . | 323 | 242 | 3145 | |
| 0.50 - 0.99 | . | . | 161 | 565 | 323 | 161 | 161 | 323 | 1129 | 161 | 1210 | . | 4194 | |
| 1.00 - 1.49 | . | . | . | . | 81 | 81 | 81 | 161 | 565 | 726 | 806 | . | 2501 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | 161 | . | . | 161 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 161 | 161 | 646 | 485 | 887 | 645 | 887 | 2500 | 1048 | 2339 | 242 | | |

| September 1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | . | . | 250 | 83 | 83 | 167 | . | 250 | 917 | 83 | . | . | 1833 | |
| 0.50 - 0.99 | . | . | 417 | 750 | 583 | 500 | 667 | 750 | 1167 | 667 | 1500 | 167 | 7168 | |
| 1.00 - 1.49 | . | . | . | . | 83 | 83 | . | 167 | . | 500 | 83 | 83 | 999 | |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 0 | 0 | 667 | 833 | 749 | 750 | 667 | 1167 | 2084 | 1250 | 1583 | 250 | | |

(Continued)

(Sheet 3 of 4)

(Continued)

(Sheet 3 of 4)

Table E2 (Concluded)

| October 1995, Gauge 641 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|---|--------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | . | 81 | 161 | 242 | . | 403 | 565 | 968 | 403 | 484 | . | 3307 |
| 0.50 - 0.99 | . | 81 | 323 | 1129 | 1048 | 565 | 1048 | 887 | 968 | 161 | 323 | . | 6533 |
| 1.00 - 1.49 | . | . | . | 81 | . | 81 | . | . | . | . | . | . | 162 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 81 | 404 | 1371 | 1290 | 646 | 1451 | 1452 | 1936 | 564 | 807 | 0 | |

| November 1995, Gauge 641 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|--|--------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 85 | 169 | 254 | 254 | 254 | 424 | 169 | 847 | 1102 | 763 | 932 | . | 5253 |
| 0.50 - 0.99 | . | . | 254 | 1102 | 1525 | 424 | 254 | 254 | 254 | 85 | 254 | . | 4406 |
| 1.00 - 1.49 | . | . | . | . | 339 | . | . | . | . | . | . | . | 339 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 85 | 169 | 508 | 1356 | 2118 | 848 | 423 | 1101 | 1356 | 848 | 1186 | 0 | |

| December 1995, Gauge 641 Percent Occurrence (X100) of Height and Period | | | | | | | | | | | | | |
|--|--------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Height (m) | Period (sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | . | 242 | 806 | 1532 | 645 | 242 | 161 | 161 | 323 | 161 | 403 | 161 | 4837 |
| 0.50 - 0.99 | . | 81 | 806 | 1774 | 1452 | 242 | 323 | . | 161 | . | 323 | . | 5162 |
| 1.00 - 1.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 1.50 - 1.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 0 | 323 | 1612 | 3306 | 2097 | 484 | 484 | 161 | 484 | 161 | 726 | 161 | |

(Sheet 4 of 4)

Table E3
Annual Joint Distribution of H_{mo} versus T_p (All Years)

| Annual 1980-1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|---------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | <u>2.9</u> | <u>3.9</u> | <u>4.9</u> | <u>5.9</u> | <u>6.9</u> | <u>7.9</u> | <u>8.9</u> | <u>9.9</u> | <u>11.9</u> | <u>13.9</u> | <u>15.9</u> | <u>Longer</u> | |
| 0.00 - 0.49 | 70 | 182 | 379 | 501 | 316 | 330 | 608 | 661 | 703 | 302 | 427 | 83 | 4562 |
| 0.50 - 0.99 | 18 | 148 | 452 | 894 | 616 | 287 | 291 | 308 | 469 | 121 | 235 | 19 | 3858 |
| 1.00 - 1.49 | . | 1 | 46 | 269 | 303 | 141 | 98 | 80 | 168 | 80 | 131 | 6 | 1323 |
| 1.50 - 1.99 | . | . | . | 8 | 38 | 26 | 17 | 26 | 49 | 26 | 46 | 4 | 240 |
| 2.00 - 2.49 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | 3 | 4 | . | 16 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 88 | 331 | 877 | 1672 | 1274 | 786 | 1015 | 1076 | 1393 | 532 | 843 | 112 | |

Table E4
Monthly Joint Distribution of H_{mo} versus T_p (All Years)

| January 1980-1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 74 | 244 | 403 | 460 | 221 | 176 | 329 | 619 | 658 | 199 | 278 | 159 | 3820 |
| 0.50 - 0.99 | 23 | 165 | 488 | 999 | 749 | 210 | 244 | 301 | 539 | 85 | 199 | 11 | 4013 |
| 1.00 - 1.49 | . | . | 85 | 482 | 471 | 233 | 193 | 79 | 261 | 23 | 125 | . | 1952 |
| 1.50 - 1.99 | . | . | . | 6 | 17 | 11 | 11 | 17 | 68 | 34 | 40 | . | 204 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | 6 | 6 | . | 12 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 97 | 409 | 976 | 1947 | 1458 | 630 | 777 | 1016 | 1526 | 347 | 648 | 170 | |

| February 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 108 | 138 | 335 | 401 | 203 | 203 | 419 | 449 | 766 | 108 | 359 | 24 | 3513 | |
| 0.50 - 0.99 | 36 | 144 | 443 | 963 | 634 | 305 | 227 | 341 | 586 | 102 | 221 | . | 4002 | |
| 1.00 - 1.49 | . | . | 42 | 461 | 568 | 221 | 108 | 96 | 257 | 144 | 191 | . | 2088 | |
| 1.50 - 1.99 | . | . | . | 12 | 78 | 48 | 30 | 24 | 42 | 36 | 108 | . | 378 | |
| 2.00 - 2.49 | . | . | . | . | 6 | . | . | . | 6 | 6 | 6 | . | 24 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 144 | 282 | 820 | 1837 | 1489 | 777 | 784 | 910 | 1657 | 396 | 885 | 24 | | |

| March 1980-1995, Gauge 641 | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|-------|-------|-------|--------|-------|
| Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | |
| Height (m) | Period(sec) | | | | | | | | | | | | Total |
| | 2.0- | 3.0- | 4.0- | 5.0- | 6.0- | 7.0- | 8.0- | 9.0- | 10.0- | 12.0- | 14.0- | 16.0- | |
| | 2.9 | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 8.9 | 9.9 | 11.9 | 13.9 | 15.9 | Longer | |
| 0.00 - 0.49 | 125 | 152 | 320 | 390 | 266 | 201 | 396 | 439 | 586 | 211 | 407 | 5 | 3498 |
| 0.50 - 0.99 | 38 | 174 | 423 | 916 | 569 | 282 | 266 | 363 | 634 | 190 | 363 | 5 | 4223 |
| 1.00 - 1.49 | . | 5 | 92 | 342 | 342 | 146 | 114 | 98 | 206 | 130 | 249 | . | 1724 |
| 1.50 - 1.99 | . | . | . | 11 | 49 | 38 | 33 | 76 | 141 | 70 | 98 | . | 516 |
| 2.00 - 2.49 | . | . | . | . | 5 | 5 | 5 | . | . | 11 | 11 | . | 37 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 163 | 331 | 835 | 1659 | 1231 | 672 | 814 | 976 | 1567 | 612 | 1128 | 10 | |

(Continued)

(Sheet 1 of 4)

Table E4 (Continued)

| April 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 63 | 189 | 367 | 528 | 373 | 413 | 557 | 534 | 683 | 402 | 563 | 40 | 4712 | |
| 0.50 - 0.99 | 23 | 212 | 436 | 821 | 471 | 270 | 327 | 316 | 557 | 80 | 293 | 6 | 3812 | |
| 1.00 - 1.49 | . | 6 | 40 | 201 | 235 | 92 | 92 | 103 | 224 | 52 | 126 | . | 1171 | |
| 1.50 - 1.99 | . | . | . | 11 | 40 | 29 | 46 | 23 | 69 | 29 | 23 | . | 270 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | 11 | 17 | . | 6 | . | 34 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 86 | 407 | 843 | 1561 | 1119 | 804 | 1022 | 987 | 1550 | 563 | 1011 | 46 | | |

| May 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 83 | 211 | 372 | 533 | 367 | 456 | 756 | 767 | 833 | 328 | 594 | 61 | 5361 | |
| 0.50 - 0.99 | 17 | 150 | 561 | 844 | 583 | 322 | 294 | 289 | 433 | 78 | 128 | 17 | 3716 | |
| 1.00 - 1.49 | . | . | 33 | 150 | 144 | 33 | 72 | 89 | 128 | 33 | 72 | . | 754 | |
| 1.50 - 1.99 | . | . | . | 17 | 50 | 22 | 6 | 17 | 28 | 11 | 11 | . | 162 | |
| 2.00 - 2.49 | . | . | . | . | . | . | 6 | . | . | . | . | . | 6 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 100 | 361 | 966 | 1544 | 1144 | 833 | 1134 | 1162 | 1422 | 450 | 805 | 78 | | |

| June 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | |
| 0.00 - 0.49 | 85 | 194 | 468 | 941 | 577 | 625 | 1105 | 971 | 674 | 316 | 279 | 97 | 6332 | |
| 0.50 - 0.99 | 18 | 134 | 395 | 795 | 443 | 273 | 316 | 285 | 310 | 43 | 49 | 18 | 3079 | |
| 1.00 - 1.49 | . | . | 30 | 128 | 128 | 49 | 49 | 30 | 103 | . | 43 | . | 560 | |
| 1.50 - 1.99 | . | . | . | . | 18 | 6 | 6 | . | . | . | . | . | 30 | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | |
| Total | 103 | 328 | 893 | 1864 | 1166 | 953 | 1476 | 1286 | 1087 | 359 | 371 | 115 | | |

(Continued)

(Sheet 2 of 4)

(Continued)

(Sheet 2 of 4)

Table E4 (Continued)

| July 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 59 | 232 | 582 | 772 | 523 | 576 | 1490 | 1223 | 885 | 374 | 457 | 125 | 7298 | | |
| 0.50 - 0.99 | . | 119 | 321 | 582 | 457 | 238 | 243 | 196 | 190 | 59 | 48 | 36 | 2489 | | |
| 1.00 - 1.49 | . | . | 6 | 107 | 30 | 12 | 18 | . | 30 | . | 6 | . | 209 | | |
| 1.50 - 1.99 | . | . | . | . | 6 | . | . | . | . | . | . | . | 6 | | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 59 | 351 | 909 | 1461 | 1016 | 826 | 1751 | 1419 | 1105 | 433 | 511 | 161 | | | |

| August 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 41 | 203 | 366 | 523 | 552 | 494 | 935 | 1092 | 952 | 308 | 459 | 64 | 5989 | | |
| 0.50 - 0.99 | 6 | 151 | 459 | 761 | 505 | 267 | 285 | 226 | 302 | 46 | 197 | . | 3205 | | |
| 1.00 - 1.49 | . | . | 23 | 128 | 139 | 64 | 52 | 23 | 99 | 81 | 122 | . | 731 | | |
| 1.50 - 1.99 | . | . | . | . | 12 | 17 | 6 | . | 17 | 23 | . | . | 75 | | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 47 | 354 | 848 | 1412 | 1208 | 842 | 1278 | 1341 | 1370 | 458 | 778 | 64 | | | |

| September 1980-1995, Gauge 641 Percent Occurrence(X100) of Height and Period | | | | | | | | | | | | | | | Total |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|------|--|-------|
| Height (m) | Period(sec) | | | | | | | | | | | | | | |
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | | | |
| 0.00 - 0.49 | 67 | 134 | 340 | 431 | 182 | 304 | 431 | 522 | 668 | 334 | 474 | 61 | 3948 | | |
| 0.50 - 0.99 | 30 | 164 | 419 | 729 | 492 | 401 | 413 | 407 | 528 | 261 | 504 | 24 | 4372 | | |
| 1.00 - 1.49 | . | . | 36 | 364 | 285 | 182 | 128 | 115 | 115 | 103 | 121 | 18 | 1467 | | |
| 1.50 - 1.99 | . | . | . | 12 | 36 | 49 | 12 | 6 | 12 | 18 | 43 | 6 | 194 | | |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | . | 6 | 12 | . | 18 | | |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 | | |
| Total | 97 | 298 | 795 | 1536 | 995 | 936 | 984 | 1050 | 1323 | 722 | 1154 | 109 | | | |

(Continued)

(Sheet 3 of 4)

(Continued)

(Sheet 3 of 4)

Table E4 (Concluded)

October 1980-1995, Gauge 641
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 36 | 172 | 243 | 231 | 178 | 148 | 337 | 397 | 586 | 337 | 391 | 47 | 3103 |
| 0.50 - 0.99 | 6 | 83 | 414 | 870 | 657 | 255 | 426 | 420 | 782 | 184 | 296 | 30 | 4423 |
| 1.00 - 1.49 | . | . | 36 | 332 | 367 | 261 | 154 | 160 | 320 | 154 | 172 | 18 | 1974 |
| 1.50 - 1.99 | . | . | . | 12 | 53 | 47 | 24 | 53 | 107 | 47 | 71 | 41 | 455 |
| 2.00 - 2.49 | . | . | . | . | . | 6 | . | . | 18 | 12 | 12 | . | 48 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 42 | 255 | 693 | 1445 | 1255 | 717 | 941 | 1030 | 1813 | 734 | 942 | 136 | |

November 1980-1995, Gauge 641
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 36 | 133 | 368 | 368 | 151 | 217 | 368 | 380 | 525 | 344 | 429 | 139 | 3458 |
| 0.50 - 0.99 | 12 | 115 | 507 | 1171 | 864 | 399 | 278 | 314 | 411 | 181 | 217 | 48 | 4517 |
| 1.00 - 1.49 | . | 6 | 36 | 260 | 495 | 236 | 115 | 72 | 145 | 139 | 139 | 24 | 1667 |
| 1.50 - 1.99 | . | . | . | 12 | 54 | 30 | 12 | 72 | 79 | 24 | 66 | . | 349 |
| 2.00 - 2.49 | . | . | . | . | . | . | . | . | 6 | . | . | . | 6 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 48 | 254 | 911 | 1811 | 1564 | 882 | 773 | 838 | 1166 | 688 | 851 | 211 | |

December 1980-1995, Gauge 641
Percent Occurrence(X100) of Height and Period

| Height (m) | Period(sec) | | | | | | | | | | | | Total |
|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|-----------------|-------|
| | 2.0- 2.9 | 3.0- 3.9 | 4.0- 4.9 | 5.0- 5.9 | 6.0- 6.9 | 7.0- 7.9 | 8.0- 8.9 | 9.0- 9.9 | 10.0- 11.9 | 12.0- 13.9 | 14.0- 15.9 | 16.0- Longer | |
| 0.00 - 0.49 | 57 | 175 | 385 | 453 | 204 | 158 | 215 | 555 | 623 | 368 | 424 | 181 | 3798 |
| 0.50 - 0.99 | 11 | 164 | 543 | 1256 | 951 | 232 | 181 | 243 | 345 | 141 | 300 | 40 | 4407 |
| 1.00 - 1.49 | . | . | 79 | 277 | 430 | 164 | 79 | 91 | 119 | 108 | 192 | 11 | 1550 |
| 1.50 - 1.99 | . | . | . | 6 | 40 | 11 | 17 | 23 | 23 | 17 | 91 | 6 | 234 |
| 2.00 - 2.49 | . | . | . | . | . | 11 | . | . | . | . | . | . | 11 |
| 2.50 - 2.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.00 - 3.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 3.50 - 3.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.00 - 4.49 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 4.50 - 4.99 | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| 5.00 - Greater | . | . | . | . | . | . | . | . | . | . | . | . | 0 |
| Total | 68 | 339 | 1007 | 1992 | 1625 | 576 | 492 | 912 | 1110 | 634 | 1007 | 238 | |

(Sheet 4 of 4)




Figure E2. Annual cumulative wave height distributions for Gauge 641




Figure E3. 1995 monthly wave height distributions for Gauge 641




Figure E4. 1980-1995 monthly wave height distributions for Gauge 641




Figure E5. Annual wave period distributions for all gauges




Figure E6. 1995 monthly wave period distributions for Gauge 641




Figure E7. 1980-1995 monthly wave period distributions for Gauge 641

Table E5
1995 persistence of H_{mo} for Gauge 641

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|----|----|----|---|---|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 59 | 44 | 31 | 26 | 16 | 14 | 10 | 8 | 7 | | | | 4 | | 3 | | | 2 | 1 |
| 1.0 | 23 | 9 | 4 | 3 | | | | 1 | | | | | | | | | | | |
| 1.5 | 3 | | | | | | | | | | | | | | | | | | |
| 2.0 | | | | | | | | | | | | | | | | | | | |
| 2.5 | | | | | | | | | | | | | | | | | | | |
| 3.0 | | | | | | | | | | | | | | | | | | | |
| 3.5 | | | | | | | | | | | | | | | | | | | |
| 4.0 | | | | | | | | | | | | | | | | | | | |

Table E6
1980 through 1995 persistence of H_{mo} for Gauge 641

| Height (m) | Consecutive Day(s) or Longer | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19+ |
| 0.5 | 45 | 36 | 29 | 24 | 18 | 14 | 11 | 10 | 9 | 7 | | 6 | 5 | | | 4 | | 3 | 2 |
| 1.0 | 40 | 24 | 14 | 8 | 5 | 3 | 2 | | 1 | | | | | | | | | | |
| 1.5 | 13 | 5 | 2 | | 1 | | | | | | | | | | | | | | |
| 2.0 | 2 | 1 | | | | | | | | | | | | | | | | | |
| 2.5 | 1 | | | | | | | | | | | | | | | | | | |
| 3.0 | 1 | | | | | | | | | | | | | | | | | | |
| 3.5 | | | | | | | | | | | | | | | | | | | |
| 4.0 | | | | | | | | | | | | | | | | | | | |

* 1980-1992 data from gauge 645




Figure E8. 1995 monthly spectra for Gauge 641 (Sheet 1 of 6)




Figure E8. (Sheet 2 of 6)




Figure E8. (Sheet 3 of 6)




Figure E8. (Sheet 4 of 6)




Figure E8. (Sheet 5 of 6)




Figure E8. (Sheet 6 of 6)

Table E7
Wave statistics for Gauge 641

| Month | 1995 | | | | | | | 1980-1995 | | | | | | |
|--------|--------|------|---------|------|--------|------|--------|-----------|------|---------|----------|------|--------|-------|
| | Height | | | Date | Period | | | Height | | | Period | | | |
| | Std. | | | | Std. | | | Std. | | | Std. | | | |
| | Mean | Dev. | Extreme | | Mean | Dev. | Number | Mean | Dev. | Extreme | Mean | Dev. | Number | |
| | m | m | m | | sec | sec | Obs. | m | m | m | Date | sec | sec | Obs. |
| Jan | 0.7 | 0.4 | 1.5 | 15 | 8.3 | 3.8 | 123 | 0.7 | 0.4 | 2.0 | 1980 | 7.9 | 3.3 | 1762 |
| Feb | 0.5 | 0.3 | 1.0 | 12 | 8.2 | 3.0 | 112 | 0.8 | 0.4 | 2.2 | 1992 | 8.1 | 3.0 | 1672 |
| Mar | 0.6 | 0.3 | 1.4 | 2 | 8.8 | 3.4 | 116 | 0.8 | 0.4 | 2.3 | 1980 | 8.3 | 3.3 | 1844 |
| Apr | 0.5 | 0.2 | 1.0 | 10 | 7.7 | 3.8 | 119 | 0.7 | 0.4 | 2.3 | 1987 | 8.4 | 3.3 | 1742 |
| May | 0.5 | 0.2 | 1.0 | 2 | 8.7 | 3.5 | 124 | 0.6 | 0.4 | 2.0 | 1987 | 8.1 | 3.2 | 1800 |
| Jun | 0.5 | 0.2 | 1.0 | 13 | 7.6 | 2.1 | 120 | 0.5 | 0.3 | 1.7 | 1990 | 7.8 | 2.9 | 1647 |
| Jul | 0.5 | 0.2 | 0.8 | 18 | 8.6 | 2.4 | 123 | 0.5 | 0.2 | 1.6 | 1990 | 8.1 | 3.0 | 1684 |
| Aug | 0.8 | 0.4 | 1.7 | 17 | 10.7 | 3.3 | 124 | 0.6 | 0.3 | 1.7 | 1995 | 8.2 | 3.1 | 1722 |
| Sep | 0.7 | 0.3 | 1.5 | 9 | 10.2 | 3.6 | 120 | 0.7 | 0.4 | 2.1 | 1985 | 8.6 | 3.4 | 1647 |
| Oct | 0.6 | 0.2 | 1.0 | 11 | 8.8 | 2.7 | 124 | 0.8 | 0.4 | 2.2 | 1982 | 8.7 | 3.3 | 1689 |
| Nov | 0.5 | 0.3 | 1.1 | 14 | 8.7 | 3.2 | 118 | 0.7 | 0.4 | 2.0 | 1981 | 8.3 | 3.5 | 1656 |
| Dec | 0.6 | 0.3 | 1.0 | 7 | 6.9 | 2.9 | 124 | 0.7 | 0.4 | 2.2 | 1989 | 8.2 | 3.6 | 1767 |
| Annual | 0.6 | 0.3 | 1.7 | Aug | 8.6 | 3.3 | 1447 | 0.7 | 0.4 | 2.3 | Apr 1987 | 8.2 | 3.3 | 20632 |




Figure E9. Time-histories of wave height and period for Gauge 641

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| | | | | |
|--|--|---|--|--|
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE May 1998 | 3. REPORT TYPE AND DATES COVERED Final report | |
| 4. TITLE AND SUBTITLE Annual Data Summary for 1995 CHL Field Research Facility; Volume I: Main Text and Appendixes A and B; Volume II: Appendixes C Through E | | | 5. FUNDING NUMBERS | |
| 6. AUTHOR(S) Michael W. Leffler, Clifford F. Baron, Brian L. Scarborough, Paul R. Hodges, C. Ray Townsend | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Engineer Waterways Experiment Station 3909 Halls Ferry Road, Vicksburg, MS 39180-6199 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER Technical Report CHL-98-14 | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers Washington, DC 20314-1000 | | | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER | |
| 11. SUPPLEMENTARY NOTES Available from National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. | | | | |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited. | | | 12b. DISTRIBUTION CODE | |
| 13. ABSTRACT (Maximum 200 words) This report provides basic data and summaries for measurements made during 1995 at the U.S. Army Engineer Waterways Experiment Station (WES), Coastal and Hydraulics Laboratory's (CHL's) Field Research Facility (FRF) in Duck, NC. The report includes comparisons of the present year's data with cumulative statistics from 1980 to the present. Summarizes in this report are meteorological and oceanographic data, monthly bathymetric survey results, samples of biannual aerial photography, and descriptions of 10 storms that occurred during the year. The year was highlighted by Hurricane Felix, which impacted the North Carolina coast on 15-18 August. This report is the 17th in a series of annual summaries of data at the FRF that began with Miscellaneous Report CERC-82-16, which summarizes data collected during 1977-1979. These reports are available from the WES Technical Report Distribution Section of the Information Technology Laboratory, Vicksburg, MS. | | | | |
| 14. SUBJECT TERMS Meteorologic research—statistics (LC) Oceanographic research—statistics (LC) Oceanographic research stations—North Carolina—Duck (LC) Water waves—statistics (LC) | | | 15. NUMBER OF PAGES 90 | |
| | | | 16. PRICE CODE | |
| 17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED | 18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED | 19. SECURITY CLASSIFICATION OF ABSTRACT | 20. LIMITATION OF ABSTRACT | |